

# Pharmacy Prior Authorization Form

Fax completed form to: 877.974.4411 toll free, or 616.942.8206

This form applies to:  Commercial (Traditional)  Commercial (Individual/Optimized)

Medicaid

This request is:  Urgent (life threatening)  Non-Urgent (standard review)

Urgent means the standard review time may seriously jeopardize the life or health of the patient or the patient's ability to regain maximum function.

## Buprenorphine-containing products for OUD

(buprenorphine SL tablet, buprenorphine/naloxone, Suboxone<sup>®</sup>, Zubsolv<sup>®</sup>, Bunavail<sup>®</sup>)

### Member

Last Name: \_\_\_\_\_ First Name: \_\_\_\_\_

Primary Care Physician: \_\_\_\_\_

Requesting Provider: \_\_\_\_\_ Prov. Phone: \_\_\_\_\_ Prov. Fax: \_\_\_\_\_

Provider Address: \_\_\_\_\_

Provider NPI: \_\_\_\_\_ Contact Name: \_\_\_\_\_

Provider Signature: \_\_\_\_\_ Date: \_\_\_\_\_

### Product Information

New Request  Continuation Request

Drug product:  Suboxone sublingual film  
 buprenorphine/naloxone sublingual film  
 buprenorphine sublingual tablet  
 buprenorphine/naloxone sublingual tablet  
 Zubsolv sublingual tablet  
 Bunavail buccal film

Start Date (or date of next dose): \_\_\_\_\_

Date of last dose (if applicable): \_\_\_\_\_

Dosing frequency: \_\_\_\_\_

### Precertification Requirements

Before this drug is covered, the patient must meet all of the following requirements:

1. Diagnosis of opioid dependence (documentation of an approved ICD10 code\* must be submitted to Priority Health)
2. Must be prescribed by a DATA 2000 certified prescriber
3. For buprenorphine sublingual tablet as maintenance therapy without naloxone: documentation of intolerance to naloxone
4. For Bunavail, must first try buprenorphine/naloxone sublingual tablet, Suboxone sublingual film, or Zubsolv sublingual tablet.

**Buprenorphine-containing products for OUD will not be approved in combination with any other opioid medications. Patient must remain abstinent of other opioid medications while receiving one of these products.**

\* Approved ICD10 codes are provided in the Additional Information section

**Priority Health Precertification Documentation**

**A. What condition is this drug being requested for?**

- Opioid dependence (documentation of ICD10 code from an office visit must be submitted to Priority Health)  
 Other – the patient’s condition is: \_\_\_\_\_ Rationale for use: \_\_\_\_\_

**B. Is the prescriber DATA 2000 certified?**

- Yes  
 No; rationale for use: \_\_\_\_\_

**C. Will the member use a buprenorphine-containing product in combination with other opioid medications?**

- No  
 Yes; rationale for use: \_\_\_\_\_

**D. For buprenorphine sublingual tablets (generic Subutex), does the member have an intolerance to naloxone?**

- No  
 Yes; Describe the intolerance: \_\_\_\_\_

**E. For Bunavail, has the patient tried buprenorphine/naloxone sublingual tablets, Zubsolv sublingual tablets or Suboxone sublingual films?**

- Yes  
 No; rationale for use: \_\_\_\_\_

**Additional Information:**

Approved ICD10 Codes for Opioid Dependence

| ICD10   | ICD10 Label   |
|---------|---|
| F11.20  | Opioid dependence, uncomplicated                                |
| F11.21  | Opioid dependence, in remission                                 |
| F11.220 | Opioid dependence with intoxication, uncomplicated              |
| F11.221 | Opioid dependence with intoxication delirium                    |
| F11.222 | Opioid dependence with intoxication with perceptual disturbance |
| F11.229 | Opioid dependence with intoxication, unspecified                |
| F11.23  | Opioid dependence with withdrawal                               |
| F11.24  | Opioid dependence with opioid-induced mood disorder             |
| F11.281 | Opioid dependence with opioid-induced sexual dysfunction        |
| F11.282 | Opioid dependence with opioid-induced sleep disorder            |
| F11.288 | Opioid dependence with other opioid-induced disorder            |
| F11.29  | Opioid dependence with unspecified opioid-induced disorder      |
| F11.93  | Opioid use, unspecified with withdrawal                         |