

# Medical prior authorization form

Fax completed form to: 877.974.4411 toll free, or 616.942.8206

This form applies to:  Commercial (Traditional)  Commercial (Individual/Optimized)

Medicaid

This request is:  Urgent (life threatening)  Non-Urgent (standard review)

Urgent means the standard review time may seriously jeopardize the life or health of the patient or the patient's ability to regain maximum function.

## Trogarzo<sup>®</sup> (ibalizumab-uiyk)

### Member

Last Name: \_\_\_\_\_ First Name: \_\_\_\_\_

ID #: \_\_\_\_\_ DOB: \_\_\_\_\_ Gender: \_\_\_\_\_

Primary Care Physician: \_\_\_\_\_

Requesting Physician: \_\_\_\_\_ Prov. Phone: \_\_\_\_\_ Prov. Fax: \_\_\_\_\_

Physician Address: \_\_\_\_\_

Physician NPI: \_\_\_\_\_ Contact Name: \_\_\_\_\_

Physician Signature: \_\_\_\_\_ Date: \_\_\_\_\_

### Product and Billing Information

New Request  Continuation Request

Drug product:  Trogarzo 200mg/1.33mL Solution

Start date (or date of next dose): \_\_\_\_\_

Date of last dose (if applicable): \_\_\_\_\_

Date of next dose (if applicable): \_\_\_\_\_

Dose: \_\_\_\_\_ Dose Frequency: \_\_\_\_\_

BSA (if applicable): \_\_\_\_\_

Weight (if applicable): \_\_\_\_\_

Place of administration:  Physician's office

Outpatient infusion

Facility: \_\_\_\_\_ NPI: \_\_\_\_\_ Fax: \_\_\_\_\_

Home infusion

Agency: \_\_\_\_\_ NPI: \_\_\_\_\_ Fax: \_\_\_\_\_

Billing:  Physician to buy and bill

Facility to buy and bill

Specialty Pharmacy

Pharmacy: \_\_\_\_\_ NPI: \_\_\_\_\_ Fax: \_\_\_\_\_

ICD-10 Diagnosis code(s): \_\_\_\_\_

### Drug cost information

The wholesale acquisition cost per unit is \$853.38. The annual cost of treatment with this drug is \$87,044.76.

**Precertification Requirements**

**Before this drug is covered, the patient must meet all of the following requirements:**

1. Must have a diagnosis of human immunodeficiency virus type-1 (HIV-1) infection in heavily treatment-experienced adults with multidrug resistant (MDR) HIV-1 infection failing their current ARV regimen.
  - a. Must be used in combination with other ARV drugs, as a salvage regimen.
  - b. Member must be treated currently treated with an optimized background antiviral regimen.
2. Documentation of adherence and failure to greater than or equal to 3 antiretroviral drug classes as evidenced by genotype and phenotype.
  - a. Please submit adherence documentation of failed therapies to Priority Health.
3. Trogarzo initial and maintenance dosing must be in accordance with the FDA prescribing information: A single loading dose of 2000 mg administered IV followed by a maintenance dose of 800 mg every two weeks thereafter.
  - a. Initial authorization is for no more than 6 months.
4. Must be used for the treatment an HIV-1 infection (documentation of a HIV-1 ICD10 code\* within the last 12 months must be submitted to Priority Health).

\* Approved ICD10 codes are provided in the Additional Information section

**For continuation, patient must have met the following requirements:**

1. Provider must submit documentation that patient has achieved clinically significant viral response to Trogarzo therapy and the provider must submit confirmation that the patient has continued to take an optimized background antiretroviral regimen.
2. Trogarzo maintenance dosing is only covered at the FDA labeled maintenance dose.
3. A continuation of treatment authorization is for no more than 12 months.

**Note:** Authorization for indications, dosing, or a route of administration not approved by the Food and Drug Administration (FDA) or recognized in CMS-accepted compendia (e.g. DrugDex, AHFS, U.S. Pharmacopeia, and also Clinical Pharmacology for oncology indications only) require supporting evidence for coverage. Please provide two published peer-reviewed literature articles supporting the appropriateness of the drug, the dosing of the drug, or the route of administration to be used for the identified indication.

**Priority Health Precertification Documentation**

**A. What condition is this drug being requested for?**

- Human immunodeficiency virus type-1 (HIV-1) infection in heavily treatment-experienced adults with multidrug resistant (MDR) HIV-1 infection failing their current ARV regimen
- Other – rationale for use: \_\_\_\_\_

**B. Does the member have documentation of adherence and failure to greater than 2 antiretroviral drug classes as evidenced by genotype and phenotype?**

- Yes.  
If yes, what has the patient had a trial with?
- No.

	Doses	Dates	Outcome
<input type="checkbox"/> Regimen 1	_____	_____	_____
<input type="checkbox"/> Regimen 2	_____	_____	_____
<input type="checkbox"/> Regimen 3	_____	_____	_____
<input type="checkbox"/> Regimen 4	_____	_____	_____

Not all requirements are met – Below is rationale for use: \_\_\_\_\_

\_\_\_\_\_

---

**Additional information**

**Duration of approval:**

1. Initial authorization for coverage is for duration of 6 months.
2. For continuation of treatment after the initial authorization the duration of coverage is 12 months.

**Approved ICD10 Codes for HIV**

1. B20 - Human immunodeficiency virus [HIV] disease
2. Z21 - Asymptomatic human immunodeficiency virus [HIV] infection status