

## Medical prior authorization form

Fax completed form to: 877.974.4411 toll free, or 616.942.8206

This form applies to: ☒ **Commercial (Traditional)** ☒ **Commercial (Individual/Optimized)**  
☒ **Medicaid**

This request is: ☐ **Urgent** (life threatening) ☐ **Non-Urgent** (standard review)  
 Urgent means the standard review time may seriously jeopardize the life or health of the patient or the patient's ability to regain maximum function.

**Zevalin<sup>®</sup>** (ibritumomab tiuxetan)

### Member

Last Name: \_\_\_\_\_ First Name: \_\_\_\_\_  
 ID #: \_\_\_\_\_ DOB: \_\_\_\_\_ Gender: \_\_\_\_\_  
 Primary Care Physician: \_\_\_\_\_  
 Requesting Physician: \_\_\_\_\_ Phys. Phone: \_\_\_\_\_ Phys. Fax: \_\_\_\_\_  
 Physician Address: \_\_\_\_\_  
 Physician NPI: \_\_\_\_\_ Contact Name: \_\_\_\_\_  
 Provider Signature: \_\_\_\_\_ Date: \_\_\_\_\_ ☐ Oncologist

### Product and Billing Information

Drug product: ☐ Zevalin 3.2 mg/2 mL kit (Y-90) **Dose:** \_\_\_\_\_ **Dose Frequency:** \_\_\_\_\_  
**Start date** (or date of next dose): \_\_\_\_\_  
**Date of last dose** (if applicable): \_\_\_\_\_  
**Date of next dose:** \_\_\_\_\_  
**ICD code(s):** \_\_\_\_\_

Place of administration: ☐ Physician's office  
☐ Outpatient infusion  
 Facility: \_\_\_\_\_ NPI: \_\_\_\_\_ Fax: \_\_\_\_\_  
☐ Home infusion  
 Agency: \_\_\_\_\_ NPI: \_\_\_\_\_ Fax: \_\_\_\_\_

Billing: ☐ Physician to buy and bill  
☐ Facility to buy and bill  
☐ Specialty Pharmacy  
 Pharmacy: \_\_\_\_\_ NPI: \_\_\_\_\_ Fax: \_\_\_\_\_

### Precertification Requirements

Before this drug is covered, the patient must meet all of the following requirements:

- Relapsed or refractory, low-grade or follicular B-cell non-Hodgkin's lymphoma (NHL) or rituximab refractory B-cell NHL
  - Platelet count  $\geq 100,000/\text{mm}^3$
- Previously untreated follicular NHL in a patient who achieved a partial or complete response to first-line chemotherapy
  - Must be administered at least 6 weeks but no more than 12 weeks following the last dose of chemotherapy
  - Platelet count  $\geq 150,000/\text{mm}^3$
- Less than 25% bone marrow involvement
- Neutrophil count greater than  $1,500/\text{mm}^3$
- Must not have prior myeloablative therapies with autologous bone marrow transplantation or peripheral blood stem cell collection
- Must not have history of failed stem cell collection

**Note:** Authorization for indications, dosing, or a route of administration not approved by the Food and Drug Administration (FDA) or recognized in CMS-accepted compendia (e.g. DrugDex, AHFS, U.S. Pharmacopeia, and also Clinical Pharmacology for oncology indications only) require supporting evidence for coverage. Please provide two published peer-reviewed literature articles supporting the appropriateness of the drug, the dosing of the drug, or the route of administration to be used for the identified indication.

## Priority Health Precertification Documentation

### A. What is the patient's diagnosis?

- ☐ Relapsed or refractory, low-grade or follicular B-cell non-Hodgkin's lymphoma (NHL)
- ☐ Rituximab-refractory B-cell NHL, exhibited by less than adequate response and/or a response less than six months
- ☐ Previously untreated follicular NHL with a partial or complete response upon completion of first-line chemotherapy
- ☐ Other – rationale for use: \_\_\_\_\_

### B. Is the patient's platelet count greater than or equal to 100,000/mm<sup>3</sup>?

- ☐ Yes ☐ No, rationale for use: \_\_\_\_\_

### C. Is the patient's platelet count greater than or equal to 150,000/mm<sup>3</sup>?

- ☐ Yes ☐ No, rationale for use: \_\_\_\_\_

### D. Is there less than 25% bone marrow involvement?

- ☐ Yes ☐ No, rationale for use: \_\_\_\_\_

### E. Is the patient's neutrophil count greater than 1,500/mm<sup>3</sup>?

- ☐ Yes ☐ No, rationale for use: \_\_\_\_\_

### F. Which of the following apply to the patient?

(any of the following will exclude patient from authorization)

- ☐ Prior myeloablative therapies with autologous bone marrow transplantation or peripheral blood stem cell collection
- ☐ History of failed stem cell collection
- ☐ History of external radiation to greater than or equal to 25% of active marrow