

**AUTISM SPECTRUM DISORDERS**

**Effective Date: January 29, 2018**  
**Date Of Origin: November 11, 2015**

**Review Dates: 11/15, 11/16, 11/17, 11/18**  
**Status: Current**

Due to the Patient Protection and Affordable Care Act (PPACA), applied behavioral analysis for the treatment of autism spectrum disorder is now considered an essential health benefit and must be included in the definition of “Habilitation Services” as ordered by the State of Michigan effective January 1, 2014 for PPACA compliant health plans.

**Summary of Changes**

Clarifications:

- Pg. 2, Section I – Diagnosis and Evaluation: Assessments cannot be conducted in the school setting

Additions:

- Pg. 2, Section I – Eligibility: B. Genetic testing for Autism Spectrum Disorder (ASD) is covered according to eviCore criteria.

**I. POLICY/CRITERIA**

**Eligibility**

- A. This policy applies to children and adolescents through age 18.
- B. Genetic testing for Autism Spectrum Disorder (ASD) is covered according to eviCore criteria.
- C. Applied Behavior Analysis (ABA) services for autism must be performed by a provider who is supervised by a state licensed Board Certified Behavior Analyst (BCBA). The ABA treatment plan must be developed and supervised by the BCBA. ABA treatment services must be prior approved through Priority Health’s Behavioral Health department.
- D. For speech therapy treatment, physical therapy, and occupational therapy coverage is provided if performed by a contracted and licensed therapist. Prior authorization for these therapies is not required.

**Diagnosis and Evaluation**

Initial evaluation for diagnostic clarification, including psychological testing, is covered by the Plan. Priority Health may request a second diagnostic opinion from a contracted, licensed PhD psychologist with specialized training in autism spectrum disorders prior to authorizing ABA autism treatment. Diagnostic evaluation does not require prior authorization.

The evaluation should include:

- A. Use of a semi-structured interview including family and developmental history
- B. Use of semi-structured, standardized behavior observational assessment that has been completed within the last three years. Assessments completed in an educational setting are excluded:
  - Autism Diagnostic Observation Schedule-2 (ADOS-2)
- C. Review of school records (if applicable)
- D. Use of standardized checklist/behavior rating scale

### **Treatment Coverage**

- A. The diagnosis of Autism Spectrum Disorder may result in a recommendation for Applied Behavior Analysis (ABA). The course of treatment may vary in duration and length depending upon the individual needs of the child as determined by an assessment by a BCBA. Authorization for ABA is determined by the clinical findings and ABA indications recommended by Behavioral Health InterQual®. An ABA treatment plan must be supervised by a BCBA who oversees the treatment and coordinates with other medical professionals involved in the child's treatment as necessary. Supervision of line staff by the BCBA should occur at a minimum of 1 hour of supervision for every 15 hours of treatment with the child.

Approved providers of ABA autism services will be required to document progress in the treatment plan for consideration of continuing stay approval. Continuing stay criteria includes demonstrating measurable progress based on a treatment plan that specifically addresses the Behavioral Health InterQual® criteria.

If the clinical interventions do not result in measurable progress as defined by Behavioral Health InterQual® then further treatment may be denied

### **Exclusions**

- A. Adults age 19 or older
- B. Services provided by family or household members

C. Treatments that are not based in scientific evidence and unproven treatments are not covered by Priority Health. These treatments include, but are not limited to the following:

1. Secretin therapy
2. Dietary interventions
3. Hormonal therapies
4. Vitamin therapies
5. Intravenous immunoglobulin therapy
6. Chelation therapy
7. Facilitated communication
8. Sensory Based Treatments
9. Auditory Integration Therapy
10. Relationship Development Intervention (RDI)
11. Floor Time or Individual Difference Relationship (DIR)
12. Non-biological complementary and alternative medicine treatments

**II. MEDICAL NECESSITY REVIEW**

**A. EVALUATION & DIAGNOSTIC TESTING**

**Autism Spectrum Disorders**

Required                       \*Not Required                       Not Covered

**B. AUTISM TREATMENT SERVICES**

**Applied Behavior Analysis (ABA), including ABA treatment in the home environment**

\*Required                       Not Required                       Not Covered

**Mental Health Treatment for Autism Spectrum Disorders**

\*Required                       Not Required                       Not Covered

**Speech, Physical and Occupational Therapies for Treatment of Autism Spectrum Disorders**

Required                       \*Not Required                       Not Covered

*For Medicare, please see LCD (L34616) for coverage details*  
<https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=34616>

*For Individual products, please see plan documents.*

**\*NOTE:**

All services in A and B above for Priority Health Medicaid and Healthy Michigan Plan members are managed through Michigan's Department of Community Mental Health.

Services in A and B above are not covered by the health plan for Priority Health Medicare members.

**III. APPLICATION TO PRODUCTS**

Coverage is subject to member's specific benefits. Covered Autism Spectrum Disorder services are specified in your Schedule of Copayments and Deductibles under treatment for Autism Spectrum Disorder.

- ❖ **HMO/EPO:** *This policy applies to insured HMO/EPO plans.*
- ❖ **POS:** *This policy applies to insured POS plans.*
- ❖ **PPO:** *This policy applies to insured PPO plans. Consult individual plan documents as state mandated benefits may apply. If there is a conflict between this policy and a plan document, the provisions of the plan document will govern.*
- ❖ **ASO:** *For self-funded plans, consult individual plan documents. If there is a conflict between this policy and a self-funded plan document, the provisions of the plan document will govern.*
- ❖ **INDIVIDUAL:** *For individual policies, consult the individual insurance policy. If there is a conflict between this medical policy and the individual insurance policy document, the provisions of the individual insurance policy will govern.*
- ❖ **MEDICARE:** *Coverage is determined by the Centers for Medicare and Medicaid Services (CMS); if a coverage determination has not been adopted by CMS, this policy applies.*
- ❖ **MEDICAID/HEALTHY MICHIGAN PLAN:** *For Medicaid/Healthy Michigan Plan members, this policy will apply. Coverage is based on medical necessity criteria being met and the appropriate code(s) from the coding section of this policy being included on the Michigan Medicaid Fee Schedule located at: [http://www.michigan.gov/mdch/0,1607,7-132-2945\\_42542\\_42543\\_42546\\_42551-159815--,00.html](http://www.michigan.gov/mdch/0,1607,7-132-2945_42542_42543_42546_42551-159815--,00.html). If there is a discrepancy between this policy and the Michigan Medicaid Provider Manual located at: [http://www.michigan.gov/mdch/0,1607,7-132-2945\\_5100-87572--,00.html](http://www.michigan.gov/mdch/0,1607,7-132-2945_5100-87572--,00.html), the Michigan Medicaid Provider Manual will govern. For Medical Supplies/DME/Prosthetics and Orthotics, please refer to the Michigan Medicaid Fee Schedule to verify coverage.*

**IV. DESCRIPTION**

Autism spectrum disorder is characterized by persistent deficits in social communication and social interaction across multiple contexts, including deficits in social reciprocity, nonverbal communication behavior used for social interaction, and skills in developing, sustaining, understanding relationships. In addition to the social communication and interaction deficits, the diagnosis of ASD requires the presence of restricted, repetitive patterns of maladaptive behavior, interests, or activities.

Symptoms must be present in the early developmental period but may not fully manifest until social demands exceed limited capacities and/or may be masked by learned strategies later in life. Recent prevalence data estimates that about 1 in 68 children have been identified with an autism spectrum disorder (ASD).

**V. CODING INFORMATION**

**Note:** *Services for Priority Medicaid and Healthy Michigan Plan Members are paid through Michigan’s Department of Community Mental Health.*

**ICD-10 Codes:**

*The following services are covered under this policy when billed with the following dx. Services billed with these diagnoses for persons over 18 are not covered.*

- F84.0      Autistic disorder
- F84.5      Asperger’s syndrome
- F84.8      Other pervasive developmental disorders
- F84.9      Pervasive developmental disorder, unspecified

**CPT/HCPCS Codes:**

**BEHAVIORAL HEALTH SERVICES – Prior authorization required**

**Mental Health Treatment Revenue Codes (facility only)**

- 0914      Individual therapy

**Mental Health Treatment CPT/HCPCS Codes – Prior authorization required**

- 90832      Psychotherapy, 30 minutes with patient
- 90833      Psychotherapy, 30 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure);
- 90834      Psychotherapy, 45 minutes with patient;
- 90836      Psychotherapy, 45 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure);
- 90837      Psychotherapy, 60 minutes with patient

**ABA TREATMENT SERVICES – in center, office, or home – prior authorization required**

**HCPCS Codes and intended use**

- H0031      Mental health assessment, by nonphysician  
*Initial Assessment which includes face-to-face time and development of initial treatment plan.*
- H0032      Mental health service plan development by nonphysician  
*Reassessment includes face-to-face reassessment and update of treatment plan.*
- H2014      Skills Training, per 15 minutes
- H2019      Therapeutic behavioral services, per 15 minutes  
*ABA line therapy provided by a BCBA or behavior technician who works under the direct supervision of the BCBA.*

*Skills Training is delivered in a small group format by a BCBA or behavior technician.*

- S5108 Home care training to home care client, per 15 minutes  
*Billed for the BCBA for face to face supervision during line therapy*
- S5110 Home care training, family; per 15 minutes  
*Parent training administered by BCBA.*

**SPEECH THERAPY - no prior authorization required**

**Revenue Codes** (facility only)

0440 – 0449 Speech Therapy-Language Pathology

**CPT/HCPCS Codes**

- 92521 Evaluation of speech fluency (e.g., stuttering, cluttering)
- 92522 Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria);
- 92523 Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (e.g., receptive and expressive language)
- 92524 Behavioral and qualitative analysis of voice and resonance
- S9152 Speech therapy, re-evaluation
  
- 92507 Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual
- 92508 Treatment of speech, language, voice, communication, and/or auditory processing disorder; group, 2 or more individuals

**PHYSICAL & OCCUPATIONAL THERAPY - no prior authorization required**

**Revenue Codes** (facility only)

0420 – 0429 Physical Therapy  
0430 – 0439 Occupational Therapy

**CPT/HCPCS Codes**

- 97161 Physical therapy evaluation: low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.
- 97162 Physical therapy evaluation: moderate complexity, requiring these components: A history of present problem with 1-2 personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures in addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; An evolving clinical presentation with changing characteristics; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable

- assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family
- 97163 Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family. 97164\* Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.
- 97165 Occupational therapy evaluation, low complexity, requiring these components: An occupational profile and medical and therapy history, which includes a brief history including review of medical and/or therapy records relating to the presenting problem; An assessment(s) that identifies 1-3 performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of low complexity, which includes an analysis of the occupational profile, analysis of data from problem-focused assessment(s), and consideration of a limited number of treatment options. Patient presents with no comorbidities that affect occupational performance. Modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is not necessary to enable completion of evaluation component. Typically, 30 minutes are spent face-to-face with the patient and/or family.
- 97166 Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 3-5 performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family.
- 97167 Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 5 or more performance deficits

(i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family.

- 97168 Re-evaluation of occupational therapy established plan of care, requiring these components: An assessment of changes in patient functional or medical status with revised plan of care; An update to the initial occupational profile to reflect changes in condition or environment that affect future interventions and/or goals; and A revised plan of care. A formal reevaluation is performed when there is a documented change in functional status or a significant change to the plan of care is required. Typically, 30 minutes are spent face-to-face with the patient and/or family.
- 97110 Therapeutic procedure, one or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility
- 97112 Therapeutic procedure, one or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities
- 97127 Therapeutic interventions that focus on cognitive function (e.g., attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (e.g., managing time or schedules, initiating, organizing and sequencing tasks), direct (one-on-one) patient contact
- 97140 Manual therapy techniques (e.g., mobilization/ manipulation, manual lymphatic drainage, manual traction), one or more regions, each 15 minutes
- 97530 Therapeutic activities, direct (one-on-one) patient contact by the provider (use of dynamic activities to improve functional performance), each 15 minutes

**BEHAVIORAL HEALTH EVALUATION - prior authorization is required for Medicaid/Healthy Michigan Plan members for these services regardless of diagnosis.**

*These services are NOT dependent on diagnoses above and are not subject to the autism benefit:*

- 90791 Psychiatric diagnostic interview examination
- 90792 Psychiatric diagnostic evaluation with medical

**BEHAVIORAL HEALTH TESTING - no prior authorization required**

- 96110 Developmental screening, with interpretation and report, per standardized instrument form (*Not payable to facility providers*)
- 96112 Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or



- other qualified health care professional, with interpretation and report; first hour
- 96113 Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; each additional 30 minutes (List separately in addition to code for primary procedure)
- 96116 Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [e.g., acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; first hour
- 96121 Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [e.g., acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; each additional hour (List separately in addition to code for primary procedure)
- 96127 Brief emotional/behavioral assessment (e.g., depression inventory, attention-deficit/hyperactivity disorder [ADHD] scale), with scoring and documentation, per standardized instrument
- 96130 Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour
- 96131 Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure)
- 96132 Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour
- 96133 Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure)
- 96136 Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; first 30 minutes

- 96137 Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; each additional 30 minutes (List separately in addition to code for primary procedure)
- 96138 Psychological or neuropsychological test administration and scoring by technician, two or more tests, any method; first 30 minutes
- 96139 Psychological or neuropsychological test administration and scoring by technician, two or more tests, any method; each additional 30 minutes (List separately in addition to code for primary procedure)
- 96146 Psychological or neuropsychological test administration, with single automated, standardized instrument via electronic platform, with automated result only

See also: Policy 91318 Rehabilitative Medicine Services  
 Policy 91336 Speech Therapy  
 Policy 91537 Neuropsychological and Psychological Testing

**Codes not covered regardless of diagnosis:**

- 0362T Behavior identification supporting assessment, each 15 minutes of technicians' time face-to-face with a patient, requiring the following components: administration by the physician or other qualified health care professional who is on site; with the assistance of two or more technicians; for a patient who exhibits destructive behavior; completion in an environment that is customized to the patient's behavior.
- 0373T Adaptive behavior treatment with protocol modification, each 15 minutes of technicians' time face-to-face with a patient, requiring the following components: administration by the physician or other qualified health care professional who is on site; with the assistance of two or more technicians; for a patient who exhibits destructive behavior; completion in an environment that is customized to the patient's behavior
- 97151 Behavior identification assessment, administered by a physician or other qualified health care professional, each 15 minutes of the physician's or other qualified health care professional's time face-to-face with patient and/or guardian(s)/caregiver(s) administering assessments and discussing findings and recommendations, and non-face-to-face analyzing past data, scoring/interpreting the assessment, and preparing the report/treatment plan
- 97152 Behavior identification-supporting assessment, administered by one technician under the direction of a physician or other qualified health care professional, face-to-face with the patient, each 15 minutes
- 97153 Adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health care professional, face-to-face with one patient, each 15 minutes
- 97154 Group adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified health care professional, face-to-face with two or more patients, each 15 minutes
- 97155 Adaptive behavior treatment with protocol modification, administered by physician or other qualified health care professional, which may include simultaneous direction of technician, face-to-face with one patient, each 15 minutes

- 97156 Family adaptive behavior treatment guidance, administered by physician or other qualified health care professional (with or without the patient present), face-to-face with guardian(s)/caregiver(s), each 15 minutes
- 97157 Multiple-family group adaptive behavior treatment guidance, administered by physician or other qualified health care professional (without the patient present), face-to-face with multiple sets of guardians/caregivers, each 15 minutes
- 97158 Group adaptive behavior treatment with protocol modification, administered by physician or other qualified health care professional, face-to-face with multiple patients, each 15 minutes

**VI. REFERENCES**

- Ben-Itzhak E, Zachor DA. The effects of intellectual functioning and autism severity on outcome of early behavioral intervention for children with autism. *Res Dev Disabil.* 2007; 28(3): 295-303.
- Centers for Disease Control and Prevention. Community Report from the Autism and Developmental Disabilities Monitoring (ADDM) Network. <http://www.cdc.gov/ncbddd/autism/documents/ADDM-2012-Community-Report.pdf>.
- Eikeseth S, Smith T, Jahr E, Eldevik S. Intensive behavioral treatment at school for 4 - 7-year-old children with autism. A 1-year comparison controlled study. *Behav Modif.* 2002; 26(1):49-68.
- Eikeseth S, Smith T, Jahr E, Eldevik S. Outcome for children with autism who began intensive behavioral treatment between ages 4 and 7: a comparison controlled study. *Behav Modif.* 2007; 31(3):264-278.
- Falkmer, T, Anderson, K, Falkmer, M, Horlin, C. Diagnostic procedures in autism spectrum disorders: A systematic literature review. *Eur Child Adolesc Psychiatry.* 2013; 22: 329-340.
- Howard JS, Sparkman CR, Cohen HG, et al. A comparison of intensive behavior analytic and eclectic treatments for young children with autism. *Res Dev Disabil.* 2005; 26(4):359-383.
- Itzhak, B. E, Lahat E, Burgin R, Zachor AD. Cognitive, behavior and intervention outcome in young children with autism. *Res Dev Disabil.* 2008; 29(5): 447-58.
- Myers, S. M. Management of children with autism spectrum disorders. *American Academy of Pediatrics.* 2007; 120(5):1162-1182.
- Riechow, B. Overview of meta-analyses on early intensive behavioral intervention for young children with autism spectrum disorders. *Journal of Autism and Developmental Disorders.* 2012; 42 (4): 512-520.
- Spreckley M, Boyd R. Efficacy of applied behavioral intervention in preschool children with autism for improving cognitive, language, and adaptive behavior: A systematic review and meta-analysis. 2008; PMID: 18950798.
- Virues-Ortega, J. Applied behavior analytic intervention for autism in early childhood: Meta-analysis, meta-regression and dose-response meta-analysis of multiple outcomes. *Clinical Psychology Review.* 2010; 30 (4): 387-399.

**AMA CPT Copyright Statement:**

All Current Procedure Terminology (CPT) codes, descriptions, and other data are copyrighted by the American Medical Association.

---

*This document is for informational purposes only. It is not an authorization, certification, explanation of benefits, or contract. Receipt of benefits is subject to satisfaction of all terms and conditions of coverage. Eligibility and benefit coverage are determined in accordance with the terms of the member's plan in effect as of the date services are rendered. Priority Health's medical policies are developed with the assistance of medical professionals and are based upon a review of published and unpublished information including,*

*but not limited to, current medical literature, guidelines published by public health and health research agencies, and community medical practices in the treatment and diagnosis of disease. Because medical practice, information, and technology are constantly changing, Priority Health reserves the right to review and update its medical policies at its discretion.*

*Priority Health's medical policies are intended to serve as a resource to the plan. They are not intended to limit the plan's ability to interpret plan language as deemed appropriate. Physicians and other providers are solely responsible for all aspects of medical care and treatment, including the type, quality, and levels of care and treatment they choose to provide.*

*The name "Priority Health" and the term "plan" mean Priority Health, Priority Health Managed Benefits, Inc., Priority Health Insurance Company and Priority Health Government Programs, Inc.*