

## **Priority Health APCD Data Dictionaries**

### **Page:**

- 2 Medical Claims Extract Data Dictionary**
- 15 Pharmacy Claims Extract Data Dictionary**
- 25 Eligibility Extract Data Dictionary**

APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
1	APCD Payer	Medical, Rx, Eligibility	APCD_PAYER	Name of payer sending the claims. Will always be Priority Health.	Character	40	Priority Health
2	APCD National Plan ID	Medical, Rx, Eligibility	APCD_NATIONAL_PLAN_ID	National Health Plan ID. This field is a placeholder for future use.	Character	20	Field will be blank
3	APCD Insurance Type Code	Medical, Rx, Eligibility	APCD_INSURANCE_TYPE_CD	Code that identifies the medical benefit package that this coverage contract falls under.	Character	4	<b>0</b> =N/A; <b>AEPO</b> =Shared Funded EPO; <b>APOS</b> =Shared Funded POS; <b>APPO</b> =Shared Funded PPO; <b>CAID</b> =Medicaid; <b>CARE</b> =Medicare; <b>CHLD</b> =MiChild; <b>FEPO</b> =Fully Funded EPO; <b>FGAP</b> =Medigap; <b>FHMO</b> =Fully Funded HMO; <b>FPOS</b> =Fully Funded POS; <b>FPPO</b> =Fully Funded PPO; <b>MCAR</b> =Northmed MCARE; <b>PPOS</b> =PHIC POS; <b>SEPO</b> =Self Funded EPO; <b>SHMO</b> =Self Funded HMO; <b>SIND</b> =Self Funded Ind; <b>SPOA</b> =Self Funded POS A; <b>SPOS</b> =Self Funded POS; <b>SPPO</b> =Self Funded PPO
4	APCD Payer Claim Control Number	Medical, Rx	APCD_PYR_CLAIM_CNTRL_NUM	The unique ID of the claim.	Character	40	Ex: H1234567
5	APCD Line Counter	Medical, Rx	APCD_LINE_CNTR	Line number for service listed. Starts at 1 and is incremented by 1 for each additional service line.	Integer	4	Ex: 2 Field will always be 1 for Pharmacy Claims Extract
6	APCD Version Number	Medical, Rx	APCD_VERSION_NUM	Version Number of this claim service line. This field is a placeholder for future use.	Integer	4	Field will be blank
7	APCD Policy Number	Medical, Rx, Eligibility	APCD_POLICY_NUM	Group or Policy Number. Up to 6 Digits. Medicaid and MiChild are 5 digits.	Character	30	Ex: 123456
8	APCD Subscriber SSN	Medical, Rx, Eligibility	APCD_SUBSCRIBER_SSN	Subscriber's Social Security Number	Character	9	Ex: 123456789
9	APCD Plan Specific Contract ID	Medical, Rx, Eligibility	APCD_PLAN_SPECIFIC_CNTRCT_ID	Plan-assigned contract number. Up to 9 digits. Medicaid and MiChild 10 digits. Leading zeroes in numbers.	Character	26	Ex: 123456789
10	APCD Member Suffix	Medical, Rx, Eligibility	APCD_MEMBER_SUFFIX	Uniquely numbers the member within the contract. Field will be blank for Medicaid and MiChild.	Character	20	<b>00</b> = Subscriber/Self Anything after 00 is a dependent/spouse
11	APCD Relationship Code	Medical, Rx, Eligibility	APCD_RELATIONSHIP_CD	Member's ID to determine the relationship to the insurer.	Character	30	<b>0</b> =N/A or Unknown; <b>1</b> =Self; <b>2</b> =Spouse; <b>3</b> =Child; <b>6</b> =Grandson or Granddaughter; <b>10</b> =Adopted Child; <b>11</b> =Foster Child; <b>17</b> =Stepson or Stepdaughter; <b>18</b> =Sponsored Dependent; <b>19</b> =Dependent of a Minor Dependent; <b>20</b> =Ex-Spouse; <b>22</b> =Court Appointed Guardian; <b>25</b> =Collateral Dependent; <b>28</b> =Life Partner
12	APCD Member Gender	Medical, Rx, Eligibility	APCD_MEMBER_GENDER	Member's gender	Character	1	<b>F</b> =Female; <b>M</b> =Male

APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
13	APCD Member DOB	Medical, Rx, Eligibility	APCD_MEMBER_DOB	Member's Date of Birth	Date	8	YYYYMMDD
14	APCD Member City	Medical, Rx, Eligibility	APCD_MEMBER_CITY	Member's city of residence	Character	30	Ex: Grand Rapids
15	APCD Member State	Medical, Rx, Eligibility	APCD_MEMBER_STATE	Member's state or province of residence	Character	2	EX: MI
16	APCD Member Zip	Medical, Rx, Eligibility	APCD_MEMBER_ZIP	Member's zip code of residence	Character	11	EX: 12345
17	APCD Paid/Approved/Accounts Payable Date	Medical	APCD_PAID_ACNTS_PAY_DT	Date service was paid/approved	Date	8	YYYYMMDD
18	APCD Admission Date	Medical	APCD_ADMIT_DT	Date of admission.	Date	8	YYYYMMDD
19	APCD Admission Hour	Medical	APCD_ADMIT_HOUR	Admission hour (00 - 23)	Character	2	HH
20	APCD Admission Type	Medical	APCD_ADMIT_TYPE	Admission Type	Character	21	<b>0</b> =N/A; <b>1</b> =Emergency; <b>2</b> =Urgent; <b>3</b> =Elective; <b>4</b> =Newborn; <b>5</b> =Trauma Center
21	APCD Admission Source (Point of Origin)	Medical	APCD_ADMIT_SRC	Admission Source, or Point of Origin for Admission/Visit	Character	1	<b>0</b> =Anomaly; <b>1</b> =Non-Health Care Facility Point of Origin (Physician Referral); <b>2</b> =Clinic Referral; <b>3</b> =HMO referral; <b>4</b> =Transfer from hospital (different facility); <b>5</b> =Transfer from skilled nursing facility or intermediate care facility; <b>6</b> =Transfer from another health care facility; <b>7</b> =Emergency Room; <b>8</b> =Court/Law Enforcement; <b>9</b> =Information not available; <b>A</b> =Reserved for National Assignment; <b>B</b> =Transfer from another home health agency; <b>C</b> =Readmission to same home health agency; <b>D</b> =Transfer from hospital inpatient in the same facility resulting in a separate claim to payer; <b>E</b> =Transfer from ambulatory surgical center; <b>F</b> =Transfer from hospice and is under a hospice plan of care or enrolled in hospice program
22	APCD Discharge Hour	Medical	APCD_DISCHARGE_HR	Hour the member was discharged.	Character	2	HH
23	APCD Discharge Date	Medical	APCD_DISCHARGE_DT	Date the member was discharged.	Date	8	YYYYMMDD

APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
24	APCD Discharge Status	Medical	APCD_DISCHARGE_STAT	Status of the member at time of discharge.	Character	2	<b>0</b> = N/A; <b>1</b> =Discharged to home, self-care; <b>2</b> =Discharged to short-term hospital; <b>3</b> =Discharged to skilled nursing facility; <b>4</b> =Discharged to intensive care facility; <b>5</b> =Discharged/Transferred to a Designated Cancer Center or Children's Hospital; <b>6</b> =Discharged to home health service; <b>7</b> =Discharged against medical advice; <b>8</b> =Home IV Service; <b>9</b> =Admitted as inpatient to this hospital; <b>10-19</b> =Discharged, reason defined at a state level; <b>20</b> =Died while in hospital; <b>21-29</b> =Expired, reason defined at a state level; <b>30</b> =Not yet discharged; <b>31-39</b> =Still patient, reason defined at a state level; <b>40</b> =Expired at home; <b>41</b> =Expired in a medical facility; <b>42</b> =Expired, place unknown; <b>43</b> =Discharged/Transferred to a Federal Hospital; <b>50</b> =Hospice, Home; <b>51</b> =Hospice, Medical Facility; <b>61</b> =Discharged/Transferred within this institution to a hospital based medicare approved swing bed; <b>62</b> =Discharged/Transferred to an inpatient rehab facility; <b>63</b> =Discharged/Transferred to a medicare certified long term care hospital; <b>64</b> =Discharged/Transferred to a nursing facility certified under medicaid but not under medicare; <b>65</b> =Discharged/Transferred to a psychiatric hospital; <b>66</b> =Discharged/transferred to a Critical Access Hospital; <b>70</b> =Discharge/transfer to another type of health care institution not defined elsewhere in the code list; <b>71</b> =Discharged/Transferred/Referred to another institution for outpatient services; <b>72</b> =Discharged/Transferred/Referred to this institution for outpatient services
25	APCD Service Provider Number	Medical	APCD_SERV_PROV_NUM	Payer-assigned service provider number. Up to 7 digits.	Character	30	Ex: 1234567
26	APCD Service Provider TIN	Medical	APCD_SERV_PROV_TIN	Federal Tax ID number of service provider	Character	10	Ex: 987654321
27	APCD Service Provider NPI	Medical	APCD_SERV_PROV_NPI	National Provider ID of service provider	Character	20	Ex: 9876543212
28	APCD Service Provider Type	Medical	APCD_SERV_PROV_TYPE	Payer-specific provider type. This field is not currently in use.	Character	120	Field will be blank
29	APCD Service Provider First Name	Medical	APCD_SERV_PROV_FIRST_NAME	Service providers first name	Character	50	Ex: John
30	APCD Service Provider Middle Name	Medical	APCD_SERV_PROV_MID_NAME	Service providers middle name or initial	Character	50	Ex: Lee or L
31	APCD Service Provider Last Name	Medical	APCD_SERV_PROV_LAST_NAME	Service providers last name, or full name of organization	Character	100	Ex: Doe
32	APCD Service Provider Suffix	Medical	APCD_SERV_PROV_SUFFIX	Service providers suffix, if provided.	Character	15	Ex: Jr., Dr., III, etc.

## APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
33	APCD Service Provider Specialty	Medical	APCD_SERV_PROV_SPECIALTY	Service provider specialty	Character	160	Ex: Family
34	APCD Service Provider City	Medical	APCD_SERV_PROV_CITY	Service provider city name	Character	30	Ex: Grand Rapids
35	APCD Service Provider State	Medical	APCD_SERV_PROV_STATE	Service provider state or province	Character	2	Ex: MI
36	APCD Service Provider Zip Code	Medical	APCD_SERV_PROV_ZIP_CD	Service provider zip code	Character	11	Ex: 12345
37	APCD Type of Bill Institutional	Medical	APCD_TYPE_BILL_INSTNL	Type of Bill - facility claims	Character	3	Ex: 131
38	APCD Facility Type Professional	Medical	APCD_FACILITY_TYPE_PROF	Place of service codes for the professional claims.	Character	2	Code = 0-99 Descriptions can be found at this website: <a href="http://www.cms.gov/Medicare/Coding/place-of-service-codes/Place_of_Service_Code_Set.html">http://www.cms.gov/Medicare/Coding/place-of-service-codes/Place_of_Service_Code_Set.html</a>
39	APCD Claim Status	Medical, Rx	APCD_CLAIM_STATUS	Status of the claim. Rx will only have paid claims and Medical will include all claims.	Character	2	<b>1</b> =Paid; <b>2</b> =Denied
40	APCD Admitting Diagnosis	Medical	APCD_ADMITTING_DIAGNOSIS	Admitting Diagnosis code	Character	8	Ex: 1234.56
41	APCD E-Code Diagnosis	Medical	APCD_E_CODE_DIAGNOSIS	E-Diagnosis Code. This field is not currently in use.	Character	8	Field will be blank
42	APCD Principal Diagnosis	Medical	APCD_PRINCIPAL_DIAGNOSIS	Principal Diagnosis Code	Character	8	Ex: 1234.56
43	APCD Other Diagnosis 1	Medical	APCD_OTHER_DIAGNOSIS_1	Other Diagnosis Code - 1	Character	8	Ex: 1234.56
44	APCD Other Diagnosis 2	Medical	APCD_OTHER_DIAGNOSIS_2	Other Diagnosis Code - 2	Character	8	Ex: 1234.56
45	APCD Other Diagnosis 3	Medical	APCD_OTHER_DIAGNOSIS_3	Other Diagnosis Code - 3	Character	8	Ex: 1234.56
46	APCD Other Diagnosis 4	Medical	APCD_OTHER_DIAGNOSIS_4	Other Diagnosis Code - 4	Character	8	Ex: 1234.56
47	APCD Other Diagnosis 5	Medical	APCD_OTHER_DIAGNOSIS_5	Other Diagnosis Code - 5	Character	8	Ex: 1234.56
48	APCD Other Diagnosis 6	Medical	APCD_OTHER_DIAGNOSIS_6	Other Diagnosis Code - 6	Character	8	Ex: 1234.56
49	APCD Other Diagnosis 7	Medical	APCD_OTHER_DIAGNOSIS_7	Other Diagnosis Code - 7	Character	8	Ex: 1234.56
50	APCD Other Diagnosis 8	Medical	APCD_OTHER_DIAGNOSIS_8	Other Diagnosis Code - 8	Character	8	Ex: 1234.56
51	APCD Other Diagnosis 9	Medical	APCD_OTHER_DIAGNOSIS_9	Other Diagnosis Code - 9	Character	8	Ex: 1234.56
52	APCD Other Diagnosis 10	Medical	APCD_OTHER_DIAGNOSIS_10	Other Diagnosis Code - 10	Character	8	Ex: 1234.56

## APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
53	APCD Other Diagnosis 11	Medical	APCD_OTHER_DIAGNOSIS_11	Other Diagnosis Code - 11	Character	8	Ex: 1234.56
54	APCD Other Diagnosis 12	Medical	APCD_OTHER_DIAGNOSIS_12	Other Diagnosis Code - 12	Character	8	Ex: 1234.56
55	APCD Revenue Code	Medical	APCD_REVENUE_CD	Uniform Billing Revenue Code	Character	4	Ex: 1234
56	APCD Procedure Code	Medical	APCD_PROCEDURE_CD	HCPCS or CPT Procedure Code	Character	7	CPT Codes Ex: 12345 HCPCS Codes Ex: A1234
57	APCD Procedure Modifier 1	Medical	APCD_PROC_MODIFIER_1	Procedure Modifier is a 2 digit code that can be a mixture of integers and characters.	Character	2	Ex: A1
58	APCD Procedure Modifier 2	Medical	APCD_PROC_MODIFIER_2	Procedure Modifier is a 2 digit code that can be a mixture of integers and characters.	Character	2	Ex: A1
59	APCD ICD Procedure Code	Medical	APCD_ICD_PROC_CD	Primary ICD procedure code for this service line.ICD-9 max length 3-4 digits. ICD-10 max length 7 characters	Character	7	EX: 1234.56
60	APCD Date of Service From	Medical	APCD_DT_OF_SERVICE_FROM	First date of service for this service line	Date	8	YYYYMMDD
61	APCD Date of Service Thru	Medical	APCD_DT_OF_SERVICE_THRU	Last date of service for this service line	Date	8	YYYYMMDD
62	APCD Quantity	Medical	APCD_QUANTITY	Count of services preformed	Float	10	Ex: 10
63	APCD Charge Amount	Medical, Rx	APCD_CHARGE_AMT	Amount Priority Health is billed for service.	Float	10	not currently available
64	APCD Paid Amount	Medical, Rx	APCD_PAID_AMT	Includes all health plan payments and excludes all member payments.	Float	10	available for ALL products
65	APCD Prepaid Amount	Medical	APCD_PREPAID_AMT	For capitated services, the fee for service equivalent	Float	10	available for Medicare and Medicaid only
66	APCD Copay Amount	Medical, Rx	APCD_COPAY_AMT	Preset fixed amount for which the individual is responsible	Float	10	available for Medicare and Medicaid only
67	APCD Coinsurance Amount	Medical, Rx	APCD_COINS_AMT	Coinsurance Amount.	Float	10	available for Medicare and Medicaid only
68	APCD Deductible Amount	Medical, Rx	APCD_DEDUCT_AMT	Amount applied to individual's deductible.	Float	10	available for Medicare and Medicaid only
69	APCD Patient Account Control Number	Medical	APCD_PAT_ACCT_CNTRL_NUM	Number assigned by the hospital, length varies.	Character	35	EX: 12345
70	APCD Service Provider Country Name	Medical	APCD_SERVICE_PROV_CNTRY_NAME	Provider's country.	Character	30	US

APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
71	APCD DRG	Medical	APCD_DRG	Ambulatory Payment Classifications are methods for paying facility outpatient services. This is for Medicare onlyand is 3 or 4 digits long.	Character	4	Ex: 1234
72	APCD DRG Version	Medical	APCD_DRG_VERSION	Version number of the grouper used. This field is not currently in use.	Character	4	Field will be blank
73	APCD APR DRG	Medical	APCD_APR_DRG	All Patient Refined Diagnosis Related Groups utilized by Medicaid	Character	4	Ex: 9876
74	APCD APR DRG Version	Medical	APCD_APR_DRG_VERSION	Version number of the grouper used. This field is not currently in use.	Character	4	Field will be blank
75	APCD APC	Medical	APCD_APC	Code using Medicare methodology when available. 4 digits long	Character	4	Ex: 1234
76	APCD APC Version	Medical	APCD_APC_VERSION	Version number of the grouper used. This field is not currently in use.	Character	4	Field will be blank
77	APCD Drug Code	Medical, Rx	APCD_DRUG_CD	National Drug Code 11 digit long code. This field will be blank for Medical Claims.	Character	11	Ex: 12345678912
78	APCD Billing Provider Number	Medical	APCD_BILLING_PROV_NUM	Payer-assigned billing provider tax id number	Character	30	Ex: 987654321
79	APCD Billing Provider NPI	Medical	APCD_BILLING_PROV_NPI	National Provider ID of billing provider	Character	20	Ex: 9876543212
80	APCD Billing Provider Last Name	Medical	APCD_BILLING_PROV_LAST_NAME	Provider's last name	Character	100	Ex: Doe
81	APCD Subscriber Last Name	Medical, Rx, Eligibility	APCD_SUBSCR_LAST_NAME	Subscriber's last name	Character	50	Ex: Doe
82	APCD Subscriber First Name	Medical, Rx, Eligibility	APCD_SUBSCR_FIRST_NAME	Subscriber's first name	Character	50	Ex: John
83	APCD Subscriber Middle Initial	Medical, Rx, Eligibility	APCD_SUBSCR_MIDDLE_INIT	Subscriber's middle initial	Character	1	Ex: L
84	APCD Member Last Name	Medical, Rx, Eligibility	APCD_MEMBER_LAST_NAME	Member's last name	Character	50	Ex: Doe
85	APCD Member First Name	Medical, Rx, Eligibility	APCD_MEMBER_FIRST_NAME	Member's first name	Character	50	Ex: Jane
86	APCD Member Middle Initial	Medical, Rx, Eligibility	APCD_MEMBER_MIDDLE_INIT	Member's middle initial	Character	1	Ex: S
87	APCD Record Type	Medical, Rx, Eligibility	APCD_RECORD_TYPE	Type of APCD record.	Character	2	<b>PC</b> =Pharmacy Claim; <b>MC</b> =Medical Claim; <b>ME</b> =Eligibility



APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
88	APCD Member ID (Patient)	Medical, Eligibility	APCD_MEMBER_ID_PAT	Payer's unique member identifier	Character	20	Ex: 987654321-01
89	MDC Payer Claim Control Number Previous	Medical, Rx	MDC_PAYER_CLM_CNTRL_NUM_PREV	Previous Clam Control Number. This field is not currently in use.	Character	40	Field will be blank
90	MDC Member SSN	Medical, Rx, Eligibility	MDC_MEMBER_SSN	Member's Social Security Number	Character	9	Ex: 123456789
91	MDC Other Diagnosis 13	Medical	MDC_OTHER_DIAGNOSIS_13	Other Diagnosis Code - 13	Character	8	Ex: 1234.56
92	MDC Other Diagnosis 14	Medical	MDC_OTHER_DIAGNOSIS_14	Other Diagnosis Code - 14	Character	8	Ex: 1234.56
93	MDC Other Diagnosis 15	Medical	MDC_OTHER_DIAGNOSIS_15	Other Diagnosis Code - 15	Character	8	Ex: 1234.56
94	MDC Other Diagnosis 16	Medical	MDC_OTHER_DIAGNOSIS_16	Other Diagnosis Code - 16	Character	8	Ex: 1234.56
95	MDC Other Diagnosis 17	Medical	MDC_OTHER_DIAGNOSIS_17	Other Diagnosis Code - 17	Character	8	Ex: 1234.56
96	MDC Other Diagnosis 18	Medical	MDC_OTHER_DIAGNOSIS_18	Other Diagnosis Code - 18	Character	8	Ex: 1234.56
97	MDC Other Diagnosis 19	Medical	MDC_OTHER_DIAGNOSIS_19	Other Diagnosis Code - 19	Character	8	Ex: 1234.56
98	MDC Other Diagnosis 20	Medical	MDC_OTHER_DIAGNOSIS_20	Other Diagnosis Code - 20	Character	8	Ex: 1234.56
99	MDC Other Diagnosis 21	Medical	MDC_OTHER_DIAGNOSIS_21	Other Diagnosis Code - 21	Character	8	Ex: 1234.56
100	MDC Other Diagnosis 22	Medical	MDC_OTHER_DIAGNOSIS_22	Other Diagnosis Code - 22	Character	8	Ex: 1234.56
101	MDC Other Diagnosis 23	Medical	MDC_OTHER_DIAGNOSIS_23	Other Diagnosis Code - 23	Character	8	Ex: 1234.56
102	MDC Other Diagnosis 24	Medical	MDC_OTHER_DIAGNOSIS_24	Other Diagnosis Code - 24	Character	8	Ex: 1234.56
103	MDC Other Diagnosis 25	Medical	MDC_OTHER_DIAGNOSIS_25	Other Diagnosis Code - 25	Character	8	Ex: 1234.56
104	MDC Other Diagnosis 26	Medical	MDC_OTHER_DIAGNOSIS_26	Other Diagnosis Code - 26	Character	8	Ex: 1234.56
105	MDC Other Diagnosis 27	Medical	MDC_OTHER_DIAGNOSIS_27	Other Diagnosis Code - 27	Character	8	Ex: 1234.56
106	MDC Other Diagnosis 28	Medical	MDC_OTHER_DIAGNOSIS_28	Other Diagnosis Code - 28	Character	8	Ex: 1234.56
107	MDC Other Diagnosis 29	Medical	MDC_OTHER_DIAGNOSIS_29	Other Diagnosis Code - 29	Character	8	Ex: 1234.56
108	MDC Other Diagnosis 30	Medical	MDC_OTHER_DIAGNOSIS_30	Other Diagnosis Code - 30	Character	8	Ex: 1234.56



## APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
109	MDC Procedure Modifier 3	Medical	MDC_PROC_MOD_3	Procedure Modifier - 3. This field is not currently in use.	Character	2	Field will be blank
110	MDC Procedure Modifier 4	Medical	MDC_PROC_MOD_4	Procedure Modifier - 4. This field is not currently in use.	Character	2	Field will be blank
111	MDC Other ICD Procedure Code 1	Medical	MDC_OTHR_ICD_PROC_CD_1	Other ICD Procedure Code - 01. ICD-9 max length 3-4 digits. ICD-10 max length 7 characters.	Character	7	EX: 1234.56
112	MDC Other ICD Procedure Code 2	Medical	MDC_OTHR_ICD_PROC_CD_2	Other ICD Procedure Code - 02. ICD-9 max length 3-4 digits. ICD-10 max length 7 characters.	Character	7	EX: 1234.56
113	MDC Other ICD Procedure Code 3	Medical	MDC_OTHR_ICD_PROC_CD_3	Other ICD Procedure Code - 03. ICD-9 max length 3-4 digits. ICD-10 max length 7 characters.	Character	7	EX: 1234.56
114	MDC Other ICD Procedure Code 4	Medical	MDC_OTHR_ICD_PROC_CD_4	Other ICD Procedure Code - 04. ICD-9 max length 3-4 digits. ICD-10 max length 7 characters.	Character	7	EX: 1234.56
115	MDC Other ICD Procedure Code 5	Medical	MDC_OTHR_ICD_PROC_CD_5	Other ICD Procedure Code - 05. ICD-9 max length 3-4 digits. ICD-10 max length 7 characters.	Character	7	EX: 1234.56
116	MDC Header/Line Payment Ind	Medical	MDC_HEADER_LINE_PYMNT_IND	Indicates whether payment is reported at header or line level. This field is not currently in use.	Character	1	Field will be blank
117	MDC Managed Care Withhold	Medical	MDC_MANAGED_CARE_WITHHOLD	Amount withheld from payment to the provider	Float	10	0.00
118	MDC Diagnosis Code Pointer 1	Medical	MDC_DIAGNOSIS_CD_POINTER_1	Pointer to the claims diagnosis code in order of importance. This field is not currently in use.	Character	2	Field will be blank
119	MDC Diagnosis Code Pointer 2	Medical	MDC_DIAGNOSIS_CD_POINTER_2	Pointer to the claims diagnosis code in order of importance. This field is not currently in use.	Character	2	Field will be blank
120	MDC Diagnosis Code Pointer 3	Medical	MDC_DIAGNOSIS_CD_POINTER_3	Pointer to the claims diagnosis code in order of importance. This field is not currently in use.	Character	2	Field will be blank
121	MDC Diagnosis Code Pointer 4	Medical	MDC_DIAGNOSIS_CD_POINTER_4	Pointer to the claims diagnosis code in order of importance. This field is not currently in use.	Character	2	Field will be blank
122	MDC POA Admitting Diagnosis	Medical	MDC_POA_ADMIT_DIAGNOSIS	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used

## APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
123	MDC POA Primary Diagnosis	Medical	MDC_POA_PRIMARY_DIAGNOSIS	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used
124	MDC POA Other Diagnosis 01	Medical	MDC_POA_OTHER_DIAGNOSIS_01	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used
125	MDC POA Other Diagnosis 02	Medical	MDC_POA_OTHER_DIAGNOSIS_02	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used
126	MDC POA Other Diagnosis 03	Medical	MDC_POA_OTHER_DIAGNOSIS_03	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used
127	MDC POA Other Diagnosis 04	Medical	MDC_POA_OTHER_DIAGNOSIS_04	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used
128	MDC POA Other Diagnosis 05	Medical	MDC_POA_OTHER_DIAGNOSIS_05	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used
129	MDC POA Other Diagnosis 06	Medical	MDC_POA_OTHER_DIAGNOSIS_06	Presence of diagnosis/condition at time of inpatient admission	Character	1	<b>Y</b> = Diagnosis was present at time of admission.; <b>N</b> = Diagnosis was not present at time of admission.; <b>U</b> = Documentation insufficient to determine if condition was present at time of admission.; <b>W</b> = Clinically undetermined.; <b>1</b> = Unreported/Not used
130	MDC Professional/Facility Flag	Medical	MDC_PROF_FAC_FLG	Professional/Facility Indicator	Character	1	<b>P</b> =Professional and Related; <b>F</b> =Institutional
131	MDC Amount COB	Medical	MDC_AMT_COB	Amount of coordination of benefits	Float	10	0.00
132	MDC Frequency	Medical, Rx	MDC_FREQUENCY	Frequency, or 3rd digit of Type of Bill (Original, Repl., Void, Adjust.).	Character	1	<b>1</b> =Original; <b>7</b> =Replacement Field will be blank for Rx Extract

## APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
133	MDC Reason Code 01	Medical	MDC_REASON_CD_01	Line Reason Code 01. This field is not currently in use.	Character	5	Field will be blank
134	MDC Reason Code 02	Medical	MDC_REASON_CD_02	Line Reason Code 02. This field is not currently in use.	Character	5	Field will be blank
135	MDC Reason Code 03	Medical	MDC_REASON_CD_03	Line Reason Code 03. This field is not currently in use.	Character	5	Field will be blank
136	MDC Reason Code 04	Medical	MDC_REASON_CD_04	Line Reason Code 04. This field is not currently in use.	Character	5	Field will be blank
137	MDC Reason Code 05	Medical	MDC_REASON_CD_05	Line Reason Code 05. This field is not currently in use.	Character	5	Field will be blank
138	MDC Reason Code 06	Medical	MDC_REASON_CD_06	Line Reason Code 06. This field is not currently in use.	Character	5	Field will be blank
139	MDC Reason Code 07	Medical	MDC_REASON_CD_07	Line Reason Code 07. This field is not currently in use.	Character	5	Field will be blank
140	MDC Reason Code 08	Medical	MDC_REASON_CD_08	Line Reason Code 08. This field is not currently in use.	Character	5	Field will be blank
141	MDC Remark Code 01	Medical	MDC_REMARK_CD_01	Line Remark Code 01. This field is not currently in use.	Character	5	Field will be blank
142	MDC Remark Code 02	Medical	MDC_REMARK_CD_02	Line Remark Code 02. This field is not currently in use.	Character	5	Field will be blank
143	MDC Remark Code 03	Medical	MDC_REMARK_CD_03	Line Remark Code 03. This field is not currently in use.	Character	5	Field will be blank
144	MDC Remark Code 04	Medical	MDC_REMARK_CD_04	Line Remark Code 04. This field is not currently in use.	Character	5	Field will be blank
145	MDC Remark Code 05	Medical	MDC_REMARK_CD_05	Line Remark Code 05. This field is not currently in use.	Character	5	Field will be blank
146	MDC Remark Code 06	Medical	MDC_REMARK_CD_06	Line Remark Code 06. This field is not currently in use.	Character	5	Field will be blank
147	MDC Remark Code 07	Medical	MDC_REMARK_CD_07	Line Remark Code 07. This field is not currently in use.	Character	5	Field will be blank
148	MDC Remark Code 08	Medical	MDC_REMARK_CD_08	Line Remark Code 08. This field is not currently in use.	Character	5	Field will be blank
149	MDC Primary/Secondary Ind	Medical, Rx	MDC_PRIM_SEC_IND	Indicates whether payer is primary or secondary on this record. This field is not currently in use.	Character	10	Field will be blank
150	MDC ICD Version Ind	Medical	MDC_ICD_VERS_IND	Indicates whether ICD diagnosis codes are ICD-9 or ICD-10	Character	2	<b>9</b> =ICD-9; <b>10</b> =ICD-10; <b>Null</b> =no code
151	PH Allowed Amount	Medical, Rx	PH_ALLOWED_AMT	The maximum allowed amount by the plan.	Float	15	available for Medicare and Medicaid only
152	PH Capitated Service Indicator	Medical	PH_CAPITATED_SERV_IND	An indicator that this service (encounter record) was Capitated	Character	1	<b>N</b> =no prepaid amount not capitated; <b>Y</b> =Capitated

APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
153	PH Allowed Units of Service	Medical	PH_ALLOWED_UNITS_SERVICE	Quantity of services or units.	Integer	15	Ex: 100
154	PH Provider Group of PCP	Medical, Eligibility	PH_PROV_GROUP_PCP	Provider Group of the member's PCP.	Character	80	Ex: Provider Group ABC
155	PH PCP Name	Medical, Rx, Eligibility	PH_PCP_NAME	Name of Member's PCP	Character	150	Ex: John L Doe, MD
156	PH Risk Group	Medical, Rx	PH_RISK_GROUP	Risk Group for the member's PCP	Character	60	Name of Risk Group
157	PH UB92 Box 82 Attending Physician Name	Medical	PH_UB_ATT_PHYSICIAN_NAME	Attending physician as matched in Payer's system based on Box 82 contents	Character	30	Field will be blank
158	PH PCP NPI	Medical, Rx	PH_PCP_NPI	National Provider ID of member's PCP	Integer	15	Ex: 9876543212
159	PH Approved Amount	Medical	PH_APPROVED_AMOUNT	Approved Amount [PAID + PREPAID + WITHHOLD]	Float	15	available for Medicare and Medicaid only
160	PH Billing Facility Name	Medical	PH_BILLING_FAC_NAME	Full name of billing organization	Character	60	Ex: Billing Location 123
161	PH Reporting Category Code	Medical	PH_REPORT_CAT_CODE	Reporting Category Code. 4 character code.	Character	20	Ex: D300
162	PH Reporting Category Description	Medical	PH_REPORT_CAT_DESC	Reporting Category Description	Character	120	Ex: Dental Endodontics

APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
163	APCD Insurance Sub Type Code	Medical, Rx, Eligibility	APCD_BUS_SUBCAT_CD	Code that identifies the subbusiness medical benefit package that this coverage contract falls under.	Character	4	AEPO=Shared Funded EPO; APOS=Shared Funded POS; APPO=Shared Funded PPO; BHMO=Bronson Narrow Network HMO; CAID=Medicaid; CARE=Medicare Individual; CARG=Medicare Employer Group; CARP=Medicare Plus; CARV=Medicare Value; CDCS=MiChild CSHCS; CHLD=MiChild; CSHC=Medicaid CSHCS; DCAD=Medicaid Dual Eligible; DSNP=Dual Eligible Special Needs Plans; EHMO=Beaumont Narrow Network HMO; FEPO=Fully Funded EPO; FHMO=Fully Funded HMO; FPOS=Fully Funded POS; FPPO=Fully Funded PPO; G10A=Medigap Plan A - 2010; G10D=Medigap Plan D - 2010; G10F=Medigap Plan F - 2010; G10G=Medigap Plan G - 2015; G10N=Medigap Plan N - 2010; GAPA=Medigap Plan A; GAPC=Medigap Plan C; GAPF=Medigap Plan F; GHMO=Gold Plan Limited Network HMO; HMP1=Healthy Michigan Plan < 100%; HMP2=Healthy Michigan Plan 100% - 133%; JHMO=St John Narrow Network HMO; MCAR=Northmed MCARE; MEFH=Munson Employer Group HMO; MEFP=Munson Employer Group FF POS; MPCM=Medicare PPO Compass; MPEG=PriorityMedicare PPO Edge; MHMO=St Joseph Narrow Network HMO; MPHM=MyPriority HMO; MPPC=Medicare Choice PPO; MPPG=Medicare Employer Group PPO; MPPI=Medicare PPO Ideal; MPPK=PriorityMedicare HMO/POS Key; MPPM=Medicare PPO Merit; MPPS=Medicare PPO Select; MPVT=Medicare PPO Vital; MYTH=MyPriority Telehealth HMO; NHMO=Spectrum Narrow Network HMO; PPOS=PHIC POS; SEEP=SEMP Tiered Network EPO; SEFP=SEMP Tiered Network FF POS; SEHM=SEMP Tiered Network HMO; SEPO=Self Funded EPO; SEPP=SEMP Tiered Network PPO; SEPS=SEMP Tiered Network PHIC POS; to be continued below...

APCD - MEDICAL CLAIMS EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
163	APCD Insurance Sub Type Code	Medical, Rx, Eligibility	APCD_BUS_SUBCAT_CD	Code that identifies the subbusiness medical benefit package that this coverage contract falls under.	Character	4	continued from above... SESE=SEMP Tiered Network SF EPO; SESP=SEMP Tiered Network SF PPO; SESS=SEMP Tiered Network SF POS; SETE=SEMP Tiered Level Funded EPO; SETP=SEMP Tiered Level Funded PPO; SETS=SEMP Tiered Level Funded POS; SHFM=SH Tiered Employer Group HMO; SHFP=SH Tiered Employer Group FF POS; SHMO=Self Funded HMO; SIND=Self Funded IND; SLEP=Self Funded Level EPO; SLHM=SF Level HMO; SLIN=Self Funded Level IND; SLPA=SF Level POS A; SLPO=Self Funded Level POS; SLPP=Self Funded Level PPO; SPOA=Self Funded POS A; SPOS=Self Funded POS; SPPO=Self Funded PPO; TEPO=Tiered Network EPO; TFPO=Tiered Network FF POS; TFPP=Tiered Network FF PPO; THMO=Tiered Network HMO; TLEP=Tiered Level Funded EPO; TLPO=Tiered Level Funded POS; TLPP=Tiered Level Funded PPO; TPOS=Tiered Network PHIC POS; TSEP=Tiered Network SF EPO; TSPO=Tiered Network SF POS; TSPP=Tiered Network SF PPO

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
1	APCD Payer	Medical, Rx, Eligibility	APCD_Payer	Name of payer sending the claims. Will always be Priority Health.	Character	40	Priority Health
2	APCD National Plan ID	Medical, Rx, Eligibility	APCD_National_Plan_ID	National Health Plan ID. This field is a placeholder for future use.	Character	20	Field will be blank
3	APCD Insurance Type Code	Medical, Rx, Eligibility	APCD_Insurance_Type_Code	Code that identifies the medical benefit package that this coverage contract falls under.	Character	4	<b>0</b> =N/A; <b>AEPO</b> =Shared Funded EPO; <b>APOS</b> =Shared Funded POS; <b>APPO</b> =Shared Funded PPO; <b>CAID</b> =Medicaid; <b>CARE</b> =Medicare; <b>CHLD</b> =MiChild; <b>FEPO</b> =Fully Funded EPO; <b>FGAP</b> =Medigap; <b>FHMO</b> =Fully Funded HMO; <b>FPOS</b> =Fully Funded POS; <b>FPPO</b> =Fully Funded PPO; <b>MCAR</b> =Northmed MCARE; <b>PPOS</b> =PHIC POS; <b>SEPO</b> =Self Funded EPO; <b>SHMO</b> =Self Funded HMO; <b>SIND</b> =Self Funded Ind; <b>SPOA</b> =Self Funded POS A; <b>SPOS</b> =Self Funded POS; <b>SPPO</b> =Self Funded PPO
4	APCD Payer Claim Control Number	Medical, Rx	APCD_Payer_Claim_Control_Number	The unique ID of the claim	Character	40	Ex: H1234567
5	APCD Line Counter	Medical, Rx	APCD_Line_Counter	Line number for service listed. Starts at 1 and is incremented by 1 for each additional service line.	Integer	4	Ex: 2 Field will always be 1 for Pharmacy Claims Extract
6	APCD Version Number	Medical, Rx	APCD_Version_Number	Version Number of this claim service line. This field is a placeholder for future use.	Integer	4	Field will be blank
7	APCD Policy Number	Medical, Rx, Eligibility	APCD_Policy_Number	Group or Policy Number. Up to 6 Digits. Medicaid and MiChild are 5 digits.	Character	30	Ex: 123456
8	APCD Subscriber SSN	Medical, Rx, Eligibility	APCD_Subscriber_SSN	Subscriber's Social Security Number	Character	9	Ex: 123456789
9	APCD Plan Specific Contract ID	Medical, Rx, Eligibility	APCD_Plan_Specific_Contract_ID	Plan-assigned contract number. Up to 9 digits. Medicaid and MiChild 10 digits. Leading zeroes in numbers.	Character	20	Ex: 123456789
10	APCD Member Suffix	Medical, Rx, Eligibility	APCD_Member_Suffix	Uniquely numbers the member within the contract. Field will be blank for Medicaid and MiChild.	Character	20	<b>00</b> = Subscriber/Self Anything after 00 is a dependent/spouse



APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
11	APCD Relationship Code	Medical, Rx, Eligibility	APCD_Relationship_Code	Member's id to determine the relationship to the insurer.	Character	30	<b>0</b> =N/A or Unknown; <b>1</b> =Self; <b>2</b> =Spouse; <b>3</b> =Child; <b>6</b> =Grandson or Granddaughter; <b>10</b> =Adopted Child; <b>11</b> =Foster Child; <b>17</b> =Stepson or Stepdaughter; <b>18</b> =Sponsored Dependent; <b>19</b> =Dependent of a Minor Dependent; <b>20</b> =Ex-Spouse; <b>22</b> =Court Appointed Guardian; <b>25</b> =Collateral Dependent; <b>28</b> =Life Partner
12	APCD Member Gender	Medical, Rx, Eligibility	APCD_Member_Gender	Member's gender	Character	1	<b>F</b> =Female; <b>M</b> =Male
13	APCD Member DOB	Medical, Rx, Eligibility	APCD_Member_DOB	Member's Date of Birth	Date	8	YYYYMMDD
14	APCD Member City	Medical, Rx, Eligibility	APCD_Member_City	Member's city of residence	Character	40	Ex: Grand Rapids
15	APCD Member State	Medical, Rx, Eligibility	APCD_Member_State	Member's state or province of residence	Character	2	EX: MI
16	APCD Member Zip	Medical, Rx, Eligibility	APCD_Member_ZIP	Member's zip code of residence	Character	11	EX: 12345
17	APCD Date Service Approved (AP Date)	Rx	APCD_Date_Service_Approved	Date service was approved. This field is not currently in use.	Date	8	Field will be blank
18	APCD Pharmacy Number	Rx	APCD_Pharmacy_Number	Payer assigned pharmacy number. AHFS number is acceptable.	Integer	30	Ex: 1234567
19	APCD Pharmacy Tax ID Number	Rx	APCD_Pharmacy_Tax_ID_Number	Federal taxpayer's identification number	Character	10	Ex: 123456789
20	APCD Pharmacy Name	Rx	APCD_Pharmacy_Name	Name of pharmacy	Character	100	Ex: Pharmacy XYZ
21	APCD National Pharmacy ID Number	Rx	APCD_National_Pharmacy_ID	National Provider ID. This data element pertains to the entity or individual directly providing the service.	Character	20	Ex: 9876543212
22	APCD Pharmacy Location City	Rx	APCD_Pharmacy_Location_City	City name of pharmacy - preferably pharmacy location	Character	40	Ex: Grand Rapids
23	APCD Pharmacy Location State	Rx	APCD_Pharmacy_Location_State	As defined by the US Postal Service	Character	2	Ex: MI
24	APCD Pharmacy ZIP Code	Rx	APCD_Pharmacy_ZIP_Code	ZIP Code of pharmacy - may include non-US codes.	Character	11	Ex: 12345
25	APCD Pharmacy Country Name	Rx	APCD_Pharmacy_Country_Name	Country of pharmacy	Character	30	US

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
26	APCD Claim Status	Medical, Rx	APCD_Claim_Status	Status of the claim. Rx will only have paid claims and Medical will include all claims.	Character	2	1=Paid; 2=Denied
27	APCD Drug Code	Medical, Rx	APCD_Drug_Code	National Drug Code 11 digit long code. This field will be blank for Medical Claims.	Character	20	Ex: 12345678912
28	APCD Drug Name	Rx	APCD_Drug_Name	Text name of drug	Character	300	Ex: Ibuprofen
29	APCD New Prescription or Refill	Rx	APCD_New_Prescription_or_Refill	Number of times a prescription has been refilled.	Integer	2	0=New Prescription; 1+=Refill
30	APCD Generic Drug Indicator	Rx	APCD_Generic_Drug_Indicator	Indicates if the drug is generic or brand.	Character	1	N=Not generic, brand; Y=Generic
31	APCD Dispense as Written Code	Rx	APCD_Dispense_as_Written_Code	The unique integer ID of a dispense as written code	Integer	1	0=No product selection indicated; 1=Substitution not allowed by provider; 2=Substitution allowed - patient requested product dispensed; 3=Substition allowed - pharmacist selected product dispensed; 4= Substition allowed - generic drug not in stock; 5=Substition allowed - brand drug dispensed as generic; 6=Override; 7=Substition not allowed - brand drug mandated by law; 8=Substition allowed - generic drug not available in marketplace; 9=Other
32	APCD Compound Drug Indicator	Rx	APCD_Compound_Drug_Indicator	Indicates if the drug is a compound drug or not. This field is not currently in use.	Character	1	Field will be blank
33	APCD Date Prescription Filled	Rx	APCD_Date_Prescription_Filled	Date the prescription was filled with the pharmacy	Date	8	YYYYMMDD
34	APCD Quantity Dispensed	Rx	APCD_Quantity_Dispensed	Number of metric units of medication dispensed. Depends on the drug the length of the number.	Float	15	Ex: 480
35	APCD Days Supply	Rx	APCD_Days_Supply	Estimated number of days the prescription will last	Integer	3	Ex: 30
36	APCD Charge Amount	Medical, Rx	APCD_Charge_Amount	Amount Priority Health is billed for service.	Float	15	0.00
37	APCD Paid Amount	Medical, Rx	APCD_Paid_Amount	Includes all health plan payments and excludes all member payments.	Float	15	0.00
38	APCD Other Amount Paid	Rx	APCD_Other_Amount_Paid	Amount paid by another payer. This field is not currently in use.	Float	15	Field will be blank
39	APCD Other Payer Amount Recognized	Rx	APCD_Other_Payer_Amount_Recognized	Amount charged to another payer. This field is not currently in use.	Float	15	Field will be blank
40	APCD Ingredient Cost/List Price	Rx	APCD_Ingredient_Cost_Or_List_Price	Cost of the drug dispensed.	Float	15	0.00

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
41	APCD Postage Amount Claimed	Rx	APCD_Postage_Amount_Claimed	Amount for postage when mail ordered is used. This field is not currently in use.	Float	15	Field will be blank
42	APCD Dispensing Fee	Rx	APCD_Dispensing_Fee	The fee charged by the pharmacy for dispensing the drug product.	Float	15	0.00
43	APCD Copay Amount	Medical, Rx	APCD_Copay_Amount	Preset fixed amount for which the individual is responsible	Float	15	0.00
44	APCD Coinsurance Amount	Medical, Rx	APCD_Coinsurance_Amount	Coinsurance Amount.	Float	15	0.00
45	APCD Deductible Amount	Medical, Rx	APCD_Deductible_Amount	Amount applied to individual's deductible.	Float	15	0.00
46	APCD Prescribing Physician First Name	Rx	APCD_Prescribing_Physician_First_Name	Physician first name.	Character	50	Ex: John
47	APCD Prescribing Physician Middle Name	Rx	APCD_Prescribing_Physician_Middle_Name	Physician middle name or initial.	Character	50	Ex: Lee or L
48	APCD Prescribing Physician Last Name	Rx	APCD_Prescribing_Physician_Last_Name	Physician last name.	Character	100	Ex: Doe
49	APCD Prescribing Physician DEA Number	Rx	APCD_Prescribing_Physician_DEA_Number	DEA for prescribing physician. 9 characters long	Character	20	Ex: AP1234567
50	APCD Prescribing Physician NPI Number	Rx	APCD_Prescribing_Physician_NPI_Number	NPI for prescribing physician	Character	20	Ex: 9876543212
51	APCD Prescribing Physician Plan Number	Rx	APCD_Prescribing_Physician_Plan_Number	Prescribing physicians plan number. This field is not currently in use.	Character	20	Field will be blank
52	APCD Prescribing Physician License Number	Rx	APCD_Prescribing_Physician_License_Number	Prescribing physicians license number. 10 digit number	Character	10	Ex: 1234567898
53	APCD Prescribing Physician Street Address	Rx	APCD_Prescribing_Physician_Street_Address	Address of the prescribing physician	Character	60	Ex: 1234 NAME RD
54	APCD Prescribing Physician Street Address 2	Rx	APCD_Prescribing_Physician_Street_Address_2	Secondary street address of the member	Character	60	Ex: PO BOX 123 or APT 1234
55	APCD Prescribing Physician City	Rx	APCD_Prescribing_Physician_City	City where prescribing physician is located	Character	40	Ex: Grand Rapids
56	APCD Prescribing Physician State	Rx	APCD_Prescribing_Physician_State	State where prescribing physician is located	Character	2	Ex: MI

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
57	APCD Prescribing Physician Zip	Rx	APCD_Prescribing_Physician_Zip	Zip code where prescribing physician is located	Character	7	Ex: 12345
58	APCD Mail Order Pharmacy	Rx	APCD_Mail_Order_pharmacy	Indicates if the prescription was from a mail order pharmacy	Character	1	<b>N</b> =Not Mail Order; <b>Y</b> =Mail Order Pharmacy
59	APCD Script Number	Rx	APCD_Script_number	Prescription ID. Up to 7 digits	Integer	20	Ex: 1234567
60	APCD Single/Multiple Source Indicator	Rx	APCD_Single_Or_Multiple_Source_Indicator	Code to uniquely identify the multi-source category of a drug	Character	1	(-)= N/A; <b>N</b> =Single-Source drug product available from one manufacturer. Drug is not generic and a generic is not available. ; <b>M</b> =Drug is co-licensed and not considered generic and a generic is not available. Single source despite multiple drug manufacturers.; <b>O</b> =Original drug considered to be industry standard. Available from multiple manufacturers.; <b>Y</b> =Drug product available from multiple manufacturers. Often a copy of an original drug valued as standard.
61	APCD Subscriber Last Name	Medical, Rx, Eligibility	APCD_Subscriber_Last_Name	Subscriber's last name	Character	50	Ex: Doe
62	APCD Subscriber First Name	Medical, Rx, Eligibility	APCD_Subscriber_First_Name	Subscriber's first name	Character	50	Ex: John
63	APCD Subscriber Middle Initial	Medical, Rx, Eligibility	APCD_Subscriber_Middle_Initial	Subscriber's middle initial	Character	1	Ex: L
64	APCD Member Last Name	Medical, Rx, Eligibility	APCD_Member_Last_Name	Member's last name	Character	50	Ex: Doe
65	APCD Member First Name	Medical, Rx, Eligibility	APCD_Member_First_Name	Member's first name	Character	50	Ex: Jane
66	APCD Member Middle Initial	Medical, Rx, Eligibility	APCD_Member_Middle_Initial	Member's middle initial	Character	1	Ex: S
67	APCD Record Type	Medical, Rx, Eligibility	APCD_Record_Type	Type of APCD record.	Character	2	<b>PC</b> =Pharmacy Claim; <b>MC</b> =Medical Claim; <b>ME</b> =Eligibility
68	APCD Product ID Number	Rx	APCD_Product_ID_Number	ID number of the product. This field is not currently in use.	Character	30	Field will be blank
69	APCD Recipient PCP ID	Rx	APCD_Recipient_PCP_ID	The member receiving the prescription PCP ID. This field is not currently in use.	Character	15	Field will be blank
70	APCD Member Street Address	Rx	APCD_Member_Street_Address	Street address of the member.	Character	124	Ex: 1234 NAME RD, APT 123

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
71	APCD Billing Provider Tax ID Number	Rx	APCD_Billing_Provider_Tax_ID_Number	Tax ID for the billing provider	Character	9	Ex: 987654321
72	APCD Date of Payment	Rx	APCD_Date_of_Payment	Date the pharmacy vendor paid the pharmacy	Date	8	YYYYMMDD
73	MDC Frequency	Medical, Rx	MDC_Frequency	Frequency, or 3rd digit of Type of Bill (Original, Repl., Void, Adjust.).	Character	1	1=Original; 7=Replacement Field will be blank for Rx Extract
74	MDC Member SSN	Medical, Rx, Eligibility	MDC_Member_SSN	Member's Social Security Number	Character	9	Ex: 123456789
75	MDC Payer Claim Control Number Previous	Medical, Rx	MDC_Payer_Claim_Control_Number_Previous	Previous Clam Control Number. This field is not currently in use.	Character	40	Field will be blank
76	MDC Primary/Secondary Indicator	Medical, Rx	MDC_Primary_or_Secondary_Indicator	Indicates whether payer is primary or secondary on this record. This field is not currently in use.	Character	10	Field will be blank
77	PH Date Prescription Written	Rx	PH_Date_Prescription_Written	Date the prescription was written. This field is not currently in use.	Date	8	Field will be blank
78	PH Allowed Amount	Medical, Rx	PH_Allowed_amount	The maximum allowed amount by the plan.	Float	15	0.00
79	PH Formulary Code	Rx	PH_Formulary_Code	Flag to determine if the drug product was on the formulary through the PBM when the claim was processed	Character	1	N=Not on Formulary; Y=Yes on Formulary
80	PH Route of Administration	Rx	PH_Route_of_Administration	Code to determine the route the drug takes into the body.	Character	5	00=N/A; BU=Buccal; CO=Combination; DT=Dental; EP=Epidural; EX=External; IA=Intra-arterial; IC=Intracavernosal; ID=Intradermal; IJ=Injection; IL=Implant; IM=Intramuscular; IN=Inhalation; IO=Intraocular; IP=Inrapertoneal; IR=Irrigation; IS=Intravesical; IT=Intrathecal; IU=Intrauterine; IV=Intravenous; IX=Intra-articular; MT=Mouth/Throat; NA=Nasal; OP=Ophthalmic; OR=Oral; OT=Otic; PF=Perfusion; PL=Intrapleural; RE=Rectal; SC=Subcutaneous; SL=Sublingual; TD=Transdermal; TL=Translingual; UR=Urethral; VA=Vaginal; VI=In Vitro; XX=Does not apply
81	PH Drug Unit of Measure	Rx	PH_Drug_Unit_of_Measure	The strength of the drug unit of measure codes	Character	20	Ex: MG
82	PH Carrier Specific Unique Member ID	Rx	PH_Carrier_Specific_Unique_Member_ID	Payer's unique member identifier	Character	20	Ex: 123456789-01
83	PH Amount Sales Tax	Rx	PH_Amount_Sales_tax	Amount Sales tax	Float	10	0.00

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
84	PH Group Name	Rx	PH_Group_Name	Member's Employer Group	Character	80	Ex: Company JKL
85	PH Ingredient Cost Paid	Rx	PH_Ingredient_Cost_Paid	The cost paid associated with the pharmaceutical product. (Ingredient cost allowed - dispensing fee - sales tax - admin fee)	Float	15	0.00
86	PH Labeler Code	Rx	PH_Labeler_Code	Code to identify the drug manufacturer. Up to 5 digits	Character	10	Ex: 54321
87	PH Drug Strength	Rx	PH_Drug_Strength	Strength of Drug	Float	15	Ex: 0.50
88	PH Drug Subclass	Rx	PH_Drug_Subclass	Priority Health Subclass ID of Drug. Up to 6 digits	Character	6	Ex: 654321
89	PH Controlled Drug Code	Rx	PH_Controlled_Drug_Code	DEA group class groups for drug products with similar potential for substance abuse.	Integer	5	<b>0</b> = N/A; <b>1</b> = Schedule I: High abuse potential; medical use not accepted.; <b>2</b> = Schedule II: High abuse potential with severe dependence liability; <b>3</b> = Schedule III: Less abuse potential than Schedule II drugs and moderate dependence liability; <b>4</b> = Schedule IV: Less abuse potential than schedule III drugs and limited dependence liability.; <b>5</b> = Schedule V: limited abuse potential; primarily small amounts of narcotics used as antitussives or antidiarrheals; under federal law, limited quantities of certain C-V drugs may be purchased directly from a pharmacist without a prescription or OTC.
90	PH PCP Name	Medical, Rx, Eligibility	PH_PCP_Name	Name of Member's PCP	Character	120	Ex: John L Doe, MD
91	PH Risk Group	Medical, Rx	PH_Risk_Group	Risk Group for the member's PCP	Character	40	Ex: Risk Group 123
92	PH PCP NPI	Medical, Rx	PH_PCP_NPI	National Provider ID of member's PCP	Character	20	Ex: 9876543212
93	PH Average Wholesale Price Amount	Rx	PH_Average_Wholesale_Price_Amount	Average Wholesale Price	Float	15	0.00
94	PH Medicare Primary Coverage Flag	Rx, Eligibility	PH_Medicare_Primary_Coverage_Flag	Indicator to determine if the member has Medicare coverage as their primary coverage.	Character	1	<b>N</b> =No Medicare Coverage; <b>Y</b> =Medicare Coverage
95	PH Drug Class Code	Rx	PH_Drug_Class_code	Code to uniquely identify which drug class the drug product is classified under.	Character	4	Ex: 0110
96	PH Drug class Description	Rx	PH_Drug_class_description	Description to uniquely identify which drug class the drug product is classified under.	Character	60	Ex: Natural Penicillins

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
97	PH Drug Sub-class Description	Rx	PH_Drug_Subclass_description	The description of the drug subclass where the drug product (service) falls. Can be the same as Drug Class description.	Character	60	Ex: Natural Penicillins
98	PH Drug Group Code	Rx	PH_Drug_Group_code	Code to uniquely identify which drug group the drug product (service) falls. The code is the first 2 digits of the GPI. Can be 0-99.	Character	2	Ex: 01
99	PH Drug Group Description	Rx	PH_Drug_Group_description	Description to uniquely identify which drug group the drug product (service) falls. The code is the first 2 digits of the GPI.	Character	60	Ex: Antivirals
100	PH Drug Super-Group ID	Rx	PH_Drug_supergroup_id	The drug super group ID where the drug product (service) falls.	Integer	2	<b>0</b> =N/A; <b>1</b> =Anti-Infective Agents; <b>2</b> =Biologicals; <b>3</b> =Antineoplastic Agents; <b>4</b> =Endocrine and Metabolic Drugs; <b>5</b> =Cardiovascular Agents; <b>6</b> =Respiratory Agents; <b>7</b> =Gastrointestinal Agents; <b>8</b> =Genitourinary Products; <b>9</b> =Central Nervous System Drugs; <b>10</b> =Stimulants/Anti-Obesity/Anorexiant; <b>11</b> =Misc Psychotherapeutic and Neurological Agents; <b>12</b> =Analgesics and Anesthetics; <b>13</b> =Neuromuscular Drugs; <b>14</b> =Nutritional Products; <b>15</b> =Hematological Products; <b>16</b> =Topical Products; <b>17</b> =Miscellaneous Products
101	PH Drug Super-Group Description	Rx	PH_Drug_supergroup_description	The drug super group description where the drug product (service) falls.	Character	60	Ex: Biologicals
102	PH Generic Name	Rx	PH_Generic_Name	Description of the generic product that the drug product falls under.	Character	60	Ex: Penicillin G Potassium Tab 200000 U
103	PH Generic Code	Rx	PH_Generic_Code	Code of the generic product that the drug product falls under. 14 digit Code.	Character	14	Ex: 12345678987654
104	PH Prescription Origin	Rx	PH_Prescription_Origin	Prescription origin code (POC).	Character	1	<b>0</b> =Not Specified; <b>1</b> =Written; <b>2</b> =Telephone; <b>3</b> =Electronic; <b>4</b> =Facsimile; <b>5</b> =Pharmacy Transfer



APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
105	APCD Insurance Sub Type Code	Medical, Rx, Eligibility	APCD_BUS_SUBCAT_CD	Code that identifies the subbusiness medical benefit package that this coverage contract falls under.	Character	4	AEPO=Shared Funded EPO; APOS=Shared Funded POS; APPO=Shared Funded PPO; BHMO=Bronson Narrow Network HMO; CAID=Medicaid; CARE=Medicare Individual; CARG=Medicare Employer Group; CARP=Medicare Plus; CARV=Medicare Value; CDCS=MiChild CSHCS; CHLD=MiChild; CSHC=Medicaid CSHCS; DCAD=Medicaid Dual Eligible; DSNP=Dual Eligible Special Needs Plans; EHMO=Beaumont Narrow Network HMO; FEPO=Fully Funded EPO; FHMO=Fully Funded HMO; FPOS=Fully Funded POS; FPPO=Fully Funded PPO; G10A=Medigap Plan A - 2010; G10D=Medigap Plan D - 2010; G10F=Medigap Plan F - 2010; G10G=Medigap Plan G - 2015; G10N=Medigap Plan N - 2010; GAPA=Medigap Plan A; GAPC=Medigap Plan C; GAPF=Medigap Plan F; GHMO=Gold Plan Limited Network HMO; HMP1=Healthy Michigan Plan < 100%; HMP2=Healthy Michigan Plan 100% - 133%; JHMO=St John Narrow Network HMO; MCAR=Northmed MCARE; MEFH=Munson Employer Group HMO; MEFP=Munson Employer Group FF POS; MPCM=Medicare PPO Compass; MPEG=PriorityMedicare PPO Edge; MHMO=St Joseph Narrow Network HMO; MPHM=MyPriority HMO; MPPC=Medicare Choice PPO; MPPG=Medicare Employer Group PPO; MPPI=Medicare PPO Ideal; MPPK=PriorityMedicare HMO/POS Key; MPPM=Medicare PPO Merit; MPPS=Medicare PPO Select; MPVT=Medicare PPO Vital; MYTH=MyPriority Telehealth HMO; NHMO=Spectrum Narrow Network HMO; PPOS=PHIC POS; SEEP=SEMP Tiered Network EPO; SEFP=SEMP Tiered Network FF POS; SEHM=SEMP Tiered Network HMO; SEPO=Self Funded EPO; SEPP=SEMP Tiered Network PPO; SEPS=SEMP Tiered Network PHIC POS; to be continued below...

APCD - PHARMACY CLAIM EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
105	APCD Insurance Sub Type Code	Medical, Rx, Eligibility	APCD_BUS_SUBCAT_CD	Code that identifies the subbusiness medical benefit package that this coverage contract falls under.	Character	4	continued from above... SESE=SEMP Tiered Network SF EPO; SESP=SEMP Tiered Network SF PPO; SESS=SEMP Tiered Network SF POS; SETE=SEMP Tiered Level Funded EPO; SETP=SEMP Tiered Level Funded PPO; SETS=SEMP Tiered Level Funded POS; SHFM=SH Tiered Employer Group HMO; SHFP=SH Tiered Employer Group FF POS; SHMO=Self Funded HMO; SIND=Self Funded IND; SLEP=Self Funded Level EPO; SLHM=SF Level HMO; SLIN=Self Funded Level IND; SLPA=SF Level POS A; SLPO=Self Funded Level POS; SLPP=Self Funded Level PPO; SPOA=Self Funded POS A; SPOS=Self Funded POS; SPPO=Self Funded PPO; TEPO=Tiered Network EPO; TFPO=Tiered Network FF POS; TFPP=Tiered Network FF PPO; THMO=Tiered Network HMO; TLEP=Tiered Level Funded EPO; TLPO=Tiered Level Funded POS; TLPP=Tiered Level Funded PPO; TPOS=Tiered Network PHIC POS; TSEP=Tiered Network SF EPO; TSPO=Tiered Network SF POS; TSPP=Tiered Network SF PPO

## APCD - ELIGIBILITY EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
1	APCD Payer	Medical, Rx, Eligibility	APCD_PAYER	Name of payer sending the claims. Will always be Priority Health.	Character	40	Priority Health
2	APCD National Plan ID	Medical, Rx, Eligibility	APCD_NATIONAL_PLAN_ID	National Health Plan ID. This field is a placeholder for future use.	Character	20	Field will be blank
3	APCD Insurance Type Code	Medical, Rx, Eligibility	APCD_INSURANCE_TYPE_CD	Code that identifies the medical benefit package that this coverage contract falls under.	Character	4	<b>0</b> =N/A; <b>AEPO</b> =Shared Funded EPO; <b>APOS</b> =Shared Funded POS; <b>APPO</b> =Shared Funded PPO; <b>CAID</b> =Medicaid; <b>CARE</b> =Medicare; <b>CHLD</b> =MiChild; <b>FEPO</b> =Fully Funded EPO; <b>FGAP</b> =Medigap; <b>FHMO</b> =Fully Funded HMO; <b>FPOS</b> =Fully Funded POS; <b>FPPO</b> =Fully Funded PPO; <b>MCAR</b> =Northmed MCARE; <b>PPOS</b> =PHIC POS; <b>SEPO</b> =Self Funded EPO; <b>SHMO</b> =Self Funded HMO; <b>SIND</b> =Self Funded Ind; <b>SPOA</b> =Self Funded POS A; <b>SPOS</b> =Self Funded POS; <b>SPPO</b> =Self Funded PPO
4	APCD Year	Eligibility	APCD_YEAR	Year for which eligibility is reported in this submission	Integer	4	YYYY
5	APCD Month	Eligibility	APCD_MONTH	Month for which eligibility is reported in this submission	Integer	2	MM
6	APCD Policy Number	Medical, Rx, Eligibility	APCD_POLICY_NUM	Group or Policy Number. Up to 6 Digits. Medicaid and MiChild are 5 digits.	Character	30	Ex: 123456
7	APCD Coverage Level Code	Eligibility	APCD_COV_LEVEL_CD	Benefit coverage level. This field is not currently in use.	Character	3	Field will be blank
8	APCD Subscriber SSN	Medical, Rx, Eligibility	APCD_SUBSCRIBER_SSN	Subscriber's Social Security Number	Character	9	Ex: 123456789
9	APCD Plan Specific Contract ID	Medical, Rx, Eligibility	APCD_PLAN_SPECIFIC_CONTR_ID	Plan-assigned contract number. Up to 9 digits. Medicaid and MiChild 10 digits. Leading zeroes in numbers.	Character	26	Ex: 123456789
10	APCD Member Suffix	Medical, Rx, Eligibility	APCD_MBR_SUFFIX	Uniquely numbers the member within the contract. Field will be blank for Medicaid and MiChild.	Character	20	<b>00</b> = Subscriber/Self Anything after 00 is a dependent/spouse
11	APCD Relationship Code	Medical, Rx, Eligibility	APCD_RELATIONSHIP_CD	Member's ID to determine the relationship to the insurer.	Character	30	<b>0</b> =N/A or Unknown; <b>1</b> =Self; <b>2</b> =Spouse; <b>3</b> =Child; <b>6</b> =Grandson or Granddaughter; <b>10</b> =Adopted Child; <b>11</b> =Foster Child; <b>17</b> =Stepson or Stepdaughter; <b>18</b> =Sponsored Dependent; <b>19</b> =Dependent of a Minor Dependent; <b>20</b> =Ex-Spouse; <b>22</b> =Court Appointed Guardian; <b>25</b> =Collateral Dependent; <b>28</b> =Life Partner
12	APCD Member Gender	Medical, Rx, Eligibility	APCD_MBR_GENDER	Member's gender	Character	1	<b>F</b> =Female; <b>M</b> =Male
13	APCD Member DOB	Medical, Rx, Eligibility	APCD_MBR_DOB	Member's Date of Birth	Date	8	YYYYMMDD
14	APCD Member City	Medical, Rx, Eligibility	APCD_MBR_CITY	Member's city of residence	Character	40	Ex: Grand Rapids

## APCD - ELIGIBILITY EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
15	APCD Member State	Medical, Rx, Eligibility	APCD_MBR_STATE	Member's state or province of residence	Character	2	EX: MI
16	APCD Member Zip	Medical, Rx, Eligibility	APCD_MBR_ZIP	Member's zip code of residence	Character	11	EX: 12345
17	APCD Medical Coverage	Eligibility	APCD_MED_COV	Coverage vs. limited or no coverage	Character	1	<b>N</b> =Member doesn't have Medical Coverage; <b>Y</b> =Member does have Medical Coverage
18	APCD Prescription Drug Coverage	Eligibility	APCD_RX_DRUG_COV	Coverage vs. limited or no coverage	Character	1	<b>N</b> =Member doesn't have prescription drug Coverage; <b>Y</b> =Member does have prescription drug Coverage
19	APCD Dental Coverage	Eligibility	APCD_DENTAL_COV	Coverage vs. limited or no coverage	Character	1	<b>N</b> =Member doesn't have dental Coverage; <b>Y</b> =Member does have dental Coverage
20	APCD Race 1	Eligibility	APCD_RACE_1	Race of the member. This field is not currently in use.	Character	6	Field will be blank
21	APCD Race 2	Eligibility	APCD_RACE_2	Race of the member if second one available. This field is not currently in use.	Character	6	Field will be blank
22	APCD Other Race	Eligibility	APCD_OTHER_RACE	Other race of the member. This field is not currently in use.	Character	15	Field will be blank
23	APCD Hispanic Indicator	Eligibility	APCD_HISPANIC_IND	Indicator to note if the patient is Hispanic or not. This field is not currently in use.	Character	1	Field will be blank
24	APCD Ethnicity 1	Eligibility	APCD_ETHNICITY_1	Ethnicity of the member. This field is not currently in use.	Character	6	Field will be blank
25	APCD Ethnicity 2	Eligibility	APCD_ETHNICITY_2	Ethnicity of the member if a second one available. This field is not currently in use.	Character	6	Field will be blank
26	APCD Other Ethnicity	Eligibility	APCD_OTHER_ETHNICITY	Other Ethnicity of the member. This field is not currently in use.	Character	20	Field will be blank
27	APCD Primary Insurance Indicator	Eligibility	APCD_PRIMARY_INSURANCE_IND	Indicates whether payer is primary or secondary on this record. This field is not currently in use.	Character	1	Field will be blank
28	APCD Coverage Type	Eligibility	APCD_COV_TYPE	Self funded vs. not	Character	3	<b>N</b> =Not Self-Funded; <b>Y</b> =Self-funded
29	APCD Market Category Code	Eligibility	APCD_MARKET_CAT_CD	Determines if the member is part of a public, individual or group market.	Character	4	<b>PUB</b> =Public (Medicare / Medicaid); <b>IND</b> =Policies sold and issued directly to individuals (non-group); <b>GRP</b> = Policies sold and issued directly to employers
30	APCD Group Name	Eligibility	APCD_GROUP_NAME	Name of group name to which the contract belongs too.	Character	60	Ex: Company XYZ
31	APCD Subscriber Last Name	Medical, Rx, Eligibility	APCD_SUBSCRIBER_LAST_NAME	Subscriber's last name	Character	50	Ex: Doe
32	APCD Subscriber First Name	Medical, Rx, Eligibility	APCD_SUBSCRIBER_FIRST_NAME	Subscriber's first name	Character	50	Ex: John

## APCD - ELIGIBILITY EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
33	APCD Subscriber Middle Initial	Medical, Rx, Eligibility	APCD_SUBSCRIBER_MID_INITIAL	Subscriber's middle initial	Character	1	Ex: L
34	APCD Member Last Name	Medical, Rx, Eligibility	APCD_MBR_LAST_NAME	Member's last name	Character	50	Ex: Doe
35	APCD Member First Name	Medical, Rx, Eligibility	APCD_MBR_FIRST_NAME	Member's first name	Character	50	Ex: Jane
36	APCD Member Middle Initial	Medical, Rx, Eligibility	APCD_MBR_MIDDLE_INITIAL	Member's middle initial	Character	1	Ex: S
37	APCD Member ID (Patient)	Medical, Eligibility	APCD_MBR_PAT_ID	Payer's unique member identifier. This field typically represents the subscriber ID, unless it is a Medicaid member. Medicaid members ID starts with leading 0's.	Character	20	Ex: 987654321-01
38	APCD Record Type	Medical, Rx, Eligibility	APCD_RECORD_TYPE	Type of APCD record.	Character	2	<b>PC</b> =Pharmacy Claim; <b>MC</b> =Medical Claim; <b>ME</b> =Eligibility
39	APCD Special Coverage	Eligibility	APCD_SPECIAL_COV	Determines if the member has special coverage. This field is not currently in use.	Character	2	Field will be blank
40	MDC Member SSN	Medical, Rx, Eligibility	MDC_MBR_SSN	Member's Social Security Number	Character	9	Ex: 123456789
41	MDC Product Enrollment Start Date	Eligibility	MDC_PROD_ENROLLMENT_START_DT	Most recent enrollment date for the member.	Date	8	YYYYMMDD
42	MDC Product Enrollment End Date	Eligibility	MDC_PROD_ENROLLMENT_END_DT	Termination date of the members enrollment. Majority of dates will be an arbitrary number in the future.	Date	8	YYYYMMDD
43	MDC Member Street Address	Eligibility	MDC_MBR_STREET_ADDRESS	Street address of member	Character	60	Ex: 1234 NAME RD
44	MDC Member Address 2	Eligibility	MDC_MBR_ADDRESS_2	Secondary street address of the member	Character	60	Ex: PO BOX 123 or APT 1234
45	MDC Member PCP ID / Attributed Physician ID	Eligibility	MDC_MBR_PCP_ID_ATTR_PHYS_ID	PCP's NPI	Character	20	Ex: 9876543212
46	MDC Member PCP Effective Date	Eligibility	MDC_MBR_PCP_EFF_DT	Member effective date with PCP	Date	8	YYYYMMDD
47	MDC Member PCP Termination Date	Eligibility	MDC_MBR_PCP_TERM_DT	Member termination date with PCP. Majority of dates will be an arbitrary number in the future.	Date	8	YYYYMMDD
48	MDC Medical Deductible	Eligibility	MDC_MED_DEDUCT	Deductible the members contract notes. This field is not currently in use.	Float	10	Field will be blank

## APCD - ELIGIBILITY EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
49	MDC Pharmacy Deductible	Eligibility	MDC_RX_DEDUCT	The members pharmacy deductible if there is one. This field is not currently in use.	Float	10	Field will be blank
50	MDC Medical and Pharmacy Deductible	Eligibility	MDC_MED_RX_DEDUCT	The members pharmacy and medical deductible. This field is not currently in use.	Float	10	Field will be blank
51	MDC Behavioral Health Deductible	Eligibility	MDC_BEHAVIORAL_HEALTH_DEDUCT	The members behavioral health deductible. This field is not currently in use.	Float	10	Field will be blank
52	MDC Member Phone #	Eligibility	MDC_MBR_PHONE_NUM	Members phone number.	Character	15	Ex: 6164567899
53	MDC Office Visit CoPay	Eligibility	MDC_OFFICE_VISIT_COPAY	Copay amount member has to pay for an office visit.	Float	10	0.00
54	MDC Pharmacy CoPay	Eligibility	MDC_RX_COPAY	The members pharmacy copay. This field is not currently in use.	Float	10	Field will be blank
55	MDC ER CoPay	Eligibility	MDC_ER_COPAY	Copay amount member has to pay for an ER visit. This does not include coinsurance.	Float	10	0.00
56	MDC Specialist CoPay	Eligibility	MDC_SPECIALIST_COPAY	Copay amount member has to pay for a specialist visit. This does not include coinsurance.	Float	10	0.00
57	MDC Coinsurance Amount	Eligibility	MDC_COINSURANCE_AMT	Coinsurance Amount for Hospital	Float	10	0.00
58	MDC Member County	Eligibility	MBR_COUNTY	County where the member is located	Character	60	Ex: Kent
59	MDC Member Age - In Years	Eligibility	MDC_MBR_AGE_YRS	Member's age at end of month. This field is not currently in use.	Integer	3	Field will be blank
60	MDC Member Age - In Months	Eligibility	MDC_MBR_AGE_MNTHS	Member's age at end of month. This field is not currently in use.	Integer	4	Field will be blank
61	PH Hospital Network	Eligibility	PH_HOSPITAL_NETWORK	Hospital Network for Member's PCP	Character	60	Ex: ABC Hospital
62	PH Provider Group of PCP	Medical, Eligibility	PH_PROV_GROUP_PCP	Provider Group of the member's PCP.	Character	80	Ex: Provider Group ABC
63	PH PCP Name	Medical, Rx, Eligibility	PH_PCP_NAME	Name of Member's PCP	Character	120	Ex: John L Doe, MD
64	PH Provider Group NPI	Eligibility	PH_PROV_GROUP_NPI	National Provider ID of provider group for the PCPs	Character	12	Ex: 9876543212
65	PH Employer Subgroup ID	Eligibility	PH_EMP_SUBGROUP_ID	ID that uniquely identifies an employer subgroup. Up to 4 digits.	Integer	7	Ex: S001
66	PH Employer SubGroup Name	Eligibility	PH_EMP_SUBGROUP_NAME	Name that that identifies an employer subgroup.	Character	60	Ex: Company XYZ - Location B

## APCD - ELIGIBILITY EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
67	PH Medicare Primary Coverage Flag	Rx, Eligibility	PH_MEDICARE_PRIM_COV_FLAG	Indicator to determine if the member has Medicare coverage as their primary coverage.	Character	1	<b>N</b> =No Medicare Coverage; <b>Y</b> =Medicare Coverage
68	PH Mailing Postal Ext	Eligibility	PH_MAIL_POST_EXT	The postal code extension for the members	Character	4	Ex: 1234
69	PH Individual Deductible Amount	Eligibility	PH_INDIVIDUAL_DEDUCT	The deductible at the individual level	Float	10	0.00
70	PH Family Deductible Amount	Eligibility	PH_FAMILY_DEDUCT	The deductible at the family level	Float	10	0.00
71	PH RX Brand Copay	Eligibility	PH_RX_BRAND_COPAY	Copay amount the member has to pay for brand drugs.	Float	10	0.00
72	PH RX Generic Copay	Eligibility	PH_RX_GENERIC_COPAY	Copay amount the member has to pay for generic drugs.	Float	10	0.00
73	PH High-Tech Radiology Copay	Eligibility	PH_HTR_COPAY	Copay amount the member has to pay for high-tech radiology.	Float	10	0.00
74	PH Urgent Care Copay	Eligibility	PH_UC_COPAY	Copay amount the member has to pay for an Urgent Care visit.	Float	10	0.00
75	PH HealthByChoice Flag	Eligibility	PH_HBC_FLAG	Identifies if a member/contract record is with one of the Health by Choice Plans	Character	1	<b>N</b> =Not Health By Choice; <b>Y</b> =Health By Choice Plan
76	PH HealthByChoice Incentives Flag	Eligibility	PH_HBCI_CD	Identifies if a member/contract record is for the Health By Choice Incentive (HBCI) product.	Character	1	<b>N</b> =Not HBCI; <b>Y</b> =Member has HBCI
77	PH Health Reimbursement Account Flag	Eligibility	PH_HRA_FLAG	Flag that indicates if the member has Health Reimbursement Arrangement (HRA) coverage	Character	1	<b>N</b> =No member doesn't have HRA coverage; <b>Y</b> =Yes member does have HRA coverage
78	PH Health Savings Account Flag	Eligibility	PH_HSA_FLAG	Flag that indicates if the member has Health Savings Account (HSA) coverage	Character	1	<b>N</b> =No member doesn't have HSA coverage; <b>Y</b> =Yes member does have HSA coverage
79	PH PCP Attribution Flag	Eligibility	PH_PCP_ATTRB_FLAG	Determines if there is an attributed PCP.	Character	1	<b>N</b> =There is not an attributed PCP; <b>Y</b> =There is an attributed PCP
80	PH Status (New/Existing)	Eligibility	PH_STATUS	Determines if a member is a new or existing member. In order to be considered a new member the field MDC Member PCP Effective Date has to be within 30 days of the date the extract is ran.	Character	8	<b>New</b> =New member; <b>Existing</b> =Existing member
81	PH Risk Score	Eligibility	PH_RISK_SCORE	Risk Score of the member. This field is a placeholder for future use.	Integer	3	Field will be blank



APCD - ELIGIBILITY EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
82	APCD Insurance Sub Type Code	Medical, Rx, Eligibility	APCD_BUS_SUBCAT_CD	Code that identifies the subbusiness medical benefit package that this coverage contract falls under.	Character	4	AEPO=Shared Funded EPO; APOS=Shared Funded POS; APPO=Shared Funded PPO; BHMO=Bronson Narrow Network HMO; CAID=Medicaid; CARE=Medicare Individual; CARG=Medicare Employer Group; CARP=Medicare Plus; CARV=Medicare Value; CDCS=MiChild CSHCS; CHLD=MiChild; CSHC=Medicaid CSHCS; DCAD=Medicaid Dual Eligible; DSNP=Dual Eligible Special Needs Plans; EHMO=Beaumont Narrow Network HMO; FEPO=Fully Funded EPO; FHMO=Fully Funded HMO; FPOS=Fully Funded POS; FPPO=Fully Funded PPO; G10A=Medigap Plan A - 2010; G10D=Medigap Plan D - 2010; G10F=Medigap Plan F - 2010; G10G=Medigap Plan G - 2015; G10N=Medigap Plan N - 2010; GAPA=Medigap Plan A; GAPC=Medigap Plan C; GAPF=Medigap Plan F; GHMO=Gold Plan Limited Network HMO; HMP1=Healthy Michigan Plan < 100%; HMP2=Healthy Michigan Plan 100% - 133%; JHMO=St John Narrow Network HMO; MCAR=Northmed MCARE; MEFH=Munson Employer Group HMO; MEFP=Munson Employer Group FF POS; MPCM=Medicare PPO Compass; MPEG=PriorityMedicare PPO Edge; MHMO=St Joseph Narrow Network HMO; MPHM=MyPriority HMO; MPPC=Medicare Choice PPO; MPPG=Medicare Employer Group PPO; MPPI=Medicare PPO Ideal; MPPK=PriorityMedicare HMO/POS Key; MPPM=Medicare PPO Merit; MPPS=Medicare PPO Select; MPVT=Medicare PPO Vital; MYTH=MyPriority Telehealth HMO; NHMO=Spectrum Narrow Network HMO; PPOS=PHIC POS; SEEP=SEMP Tiered Network EPO; SEFP=SEMP Tiered Network FF POS; SEHM=SEMP Tiered Network HMO; SEPO=Self Funded EPO; SEPP=SEMP Tiered Network PPO; SEPS=SEMP Tiered Network PHIC POS; to be continued below...

APCD - ELIGIBILITY EXTRACT DATA DICTIONARY

Field	Data Element	Extract	Extract Data Element	Description	Type	Size	Format/Code Information
82	APCD Insurance Sub Type Code	Medical, Rx, Eligibility	APCD_BUS_SUBCAT_CD	Code that identifies the subbusiness medical benefit package that this coverage contract falls under.	Character	4	continued from above... SESE=SEMP Tiered Network SF EPO; SESP=SEMP Tiered Network SF PPO; SESS=SEMP Tiered Network SF POS; SETE=SEMP Tiered Level Funded EPO; SETP=SEMP Tiered Level Funded PPO; SETS=SEMP Tiered Level Funded POS; SHFM=SH Tiered Employer Group HMO; SHFP=SH Tiered Employer Group FF POS; SHMO=Self Funded HMO; SIND=Self Funded IND; SLEP=Self Funded Level EPO; SLHM=SF Level HMO; SLIN=Self Funded Level IND; SLPA=SF Level POS A; SLPO=Self Funded Level POS; SLPP=Self Funded Level PPO; SPOA=Self Funded POS A; SPOS=Self Funded POS; SPPO=Self Funded PPO; TEPO=Tiered Network EPO; TFPO=Tiered Network FF POS; TFPP=Tiered Network FF PPO; THMO=Tiered Network HMO; TLEP=Tiered Level Funded EPO; TLPO=Tiered Level Funded POS; TLPP=Tiered Level Funded PPO; TPOS=Tiered Network PHIC POS; TSEP=Tiered Network SF EPO; TSPO=Tiered Network SF POS; TSPP=Tiered Network SF PPO