

AUTISM SPECTRUM DISORDERS

Effective Date: February 22, 2023 Review Dates: 11/15, 11/16, 11/17, 11/18, 11/19,

11/20, 11/21, 11/22, 2/23, 2/24

Date Of Origin: November 11, 2015 Status: Current

Due to the Patient Protection and Affordable Care Act (PPACA), applied behavioral analysis for the treatment of autism spectrum disorder is now considered an essential health benefit and must be included in the definition of "Habilitation Services" as ordered by the State of Michigan effective January 1, 2014 for PPACA compliant health plans.

I. POLICY/CRITERIA

Eligibility

- A. The medical necessity for genetic testing for Autism Spectrum Disorder (ASD) is assessed according to eviCore guidelines.
- B. Applied Behavior Analysis (ABA) services for autism must be performed by a provider who is supervised by a state licensed Board Certified Behavior Analyst (BCBA). The ABA treatment plan must be developed and supervised by the BCBA. ABA treatment services must be prior approved through Priority Health's Behavioral Health department.

Diagnosis and Evaluation

Initial evaluation for diagnostic clarification, including psychological testing, is covered by Priority Health. Priority Health may request a second diagnostic opinion from a contracted, licensed PhD psychologist with specialized training in autism spectrum disorders prior to authorizing ABA autism treatment. Services or treatment that are the legal responsibility of a school program such as evaluations completed in an educational setting are excluded.

The diagnostic evaluation should include evidence of a multimodal assessment that contains caregiver(s) reports, records (e.g., medical, school, other evaluations), collateral reports (e.g., teachers, other treatment providers), data gathered from utilization of standardized psychological tools, and an observational assessment to determine diagnostic and clinical impressions. No one piece of data determines the ASD diagnosis, and evaluators should consider the accuracy of data and confounding factors that may impact data obtained.

The diagnostic evaluation does not require prior authorization.

Treatment Coverage

A. The diagnosis of Autism Spectrum Disorder may result in a recommendation for Applied Behavior Analysis (ABA). The course of treatment may vary in duration and length depending upon the individual needs of the member as determined by an assessment by a BCBA. Authorization for ABA is determined by the clinical findings and ABA indications recommended by Behavioral Health InterQual®. An ABA treatment plan must be supervised by a BCBA who oversees the treatment and coordinates with other medical professionals involved in the member's treatment as necessary. Supervision of line staff by the BCBA should occur at a minimum of 1 hour of supervision for every 15 hours of treatment with the member.

Approved providers of ABA autism services will be required to document progress in the treatment plan for consideration of continuing stay approval. Continuing stay criteria includes demonstrating measurable progress based on a treatment plan that specifically addresses the Behavioral Health InterQual® criteria.

If the clinical interventions do not result in measurable progress as defined by Behavioral Health InterQual® then further treatment may be denied.

Exclusions

- A. Services provided by family or household members.
- B. Treatments that are not based in scientific evidence and unproven treatments are not covered by Priority Health. These treatments include, but are not limited to, the following:
 - 1. Secretin therapy
 - 2. Dietary interventions
 - 3. Hormonal therapies
 - 4. Vitamin therapies
 - 5. Intravenous immunoglobulin therapy
 - 6. Chelation therapy
 - 7. Facilitated communication
 - 8. Sensory Based Treatments
 - 9. Auditory Integration Therapy
 - 10. Relationship Development Intervention (RDI)
 - 11. Floor Time or Individual Difference Relationship (DIR)
 - 12. Non-biological complementary and alternative medicine treatments

Autism Spectrum Disorders

C. Artificial intelligence (AI) devices, prescription digital diagnostics, or mobile medical applications (MMA) for the diagnosis of ASD (e.g., <u>Canvas Dx</u>, <u>Cognoa</u>).

II. MEDICAL NECESSITY REVIEW

Prior authorization for certain drug, services, and procedures may or may not be required. In cases where prior authorization is required, providers will submit a request demonstrating that a drug, service, or procedure is medically necessary. For more information, please refer to the <u>Priority Health Provider Manual</u>.

For Medicare, please see LCD (<u>L34616</u>) for coverage details

For Individual products, please see plan documents.

Priority Health Medicaid and Healthy Michigan Plan: Evaluation, diagnostic testing, and treatment services for autism spectrum disorders for Priority Health Medicaid and Healthy Michigan Plan members are managed through Michigan's Department of Community Mental Health.

Priority Health Medicare: Evaluation, diagnostic testing, and treatment services for autism spectrum disorders are not covered by the health plan for Medicare members.

III. APPLICATION TO PRODUCTS

Coverage is subject to member's specific benefits. Covered Autism Spectrum Disorder services are specified in your Schedule of Copayments and Deductibles under treatment for Autism Spectrum Disorder.

- ❖ HMO/EPO: This policy applies to insured HMO/EPO plans.
- **POS:** This policy applies to insured POS plans.
- PPO: This policy applies to insured PPO plans. Consult individual plan documents as state mandated benefits may apply. If there is a conflict between this policy and a plan document, the provisions of the plan document will govern.
- ASO: For self-funded plans, consult individual plan documents. If there is a conflict between this policy and a self-funded plan document, the provisions of the plan document will govern.
- * INDIVIDUAL: For individual policies, consult the individual insurance policy. If there is a conflict between this medical policy and the individual insurance policy document, the provisions of the individual insurance policy will govern.
- ❖ MEDICARE: Coverage is determined by the Centers for Medicare and Medicaid Services (CMS) and/or the Evidence of Coverage (EOC); if a coverage determination has not been adopted by CMS, this policy applies.

Autism Spectrum Disorders

* MEDICAID/HEALTHY MICHIGAN PLAN: For Medicaid/Healthy Michigan Plan members, this policy will apply. Coverage is based on medical necessity criteria being met and the appropriate code(s) from the coding section of this policy being included on the Michigan Medicaid Fee Schedule located at: http://www.michigan.gov/mdch/0,1607,7-132-2945 42542 42543 42546 42551-159815--,00.html. If there is a discrepancy between this policy and the Michigan Medicaid Provider Manual located at: http://www.michigan.gov/mdch/0,1607,7-132-2945 5100-87572--,00.html, the Michigan Medicaid Provider Manual will govern. For Medical Supplies/DME/Prosthetics and Orthotics, please refer to the Michigan Medicaid Fee Schedule to verify coverage.

IV. DESCRIPTION

Autism spectrum disorder is characterized by persistent deficits in social communication and social interaction across multiple contexts, including deficits in social reciprocity, nonverbal communication behavior used for social interaction, and skills in developing, sustaining, understanding relationships. In addition to the social communication and interaction deficits, the diagnosis of ASD requires the presence of restricted, repetitive patterns of maladaptive behavior, interests, or activities.

Symptoms must be present in the early developmental period but may not fully manifest until social demands exceed limited capacities and/or may be masked by learned strategies later in life. Recent prevalence data estimates that about 1 in 54 children have been identified with an autism spectrum disorder (ASD).

V. CODING INFORMATION

Note: Services for Priority Medicaid and Healthy Michigan Plan Members are paid through Michigan's Department of Community Mental Health.

ICD-10 Codes:

The following services are covered under this policy when billed with the following dx. Services billed with these diagnoses for persons over 18 are not covered.

F84.0 Autistic disorder F84.5 Asperger's syndrome

F84.8 Other pervasive developmental disorders

F84.9 Pervasive developmental disorder, unspecified

CPT/HCPCS Codes:

BEHAVIORAL HEALTH SERVICES

Mental Health Treatment Revenue Codes (facility only)

0914 Individual therapy

Mental Health Treatment CPT/HCPCS Codes

90832 Psychotherapy, 30 minutes with patient



Autism Spectrum Disorders

90833	Psychotherapy, 30 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary
90834	procedure); Procedure (1); Procedure (2) minutes with nation (2)
90834	Psychotherapy, 45 minutes with patient; Psychotherapy, 45 minutes with patient when performed with an evaluation and
70030	management service (List separately in addition to the code for primary procedure);
90837	Psychotherapy, 60 minutes with patient
ABA TI	REATMENT SERVICES – in center, office, or home – prior authorization
	. Age limit of 18 does not apply to ABA services for most plans.
	odes and intended use
97151	Behavior identification assessment, by a physician or other qualified healthcare professional, per 15 minutes
	Time face-to-face with patient and/or guardian(s)/caregiver(s) administering
	assessments and discussing findings and recommendations, and non-face-to-
	face analyzing past data, scoring/interpreting the assessment, and preparing the
	report/treatment plan
97153	Adaptive behavior treatment by protocol, per 15 minutes
	Administered by technician under the direction of a BCBA, face-to-face with one patient
97154	Group adaptive behavior treatment by protocol, per 15 minutes
	Administered by technician under the direction of a BCBA, face-to-face with two or more patients
97155	Adaptive behavior treatment with protocol modification, per 15 minutes <i>Administered by BCBA, which may include simultaneous direction of technician</i>
97156	Family adaptive behavior treatment guidance, per 15 minutes
	Administered by BCBA, with or without patient present, face-to-face with guardian(s)/caregiver(s)
97157	Multiple-family group adaptive behavior treatment guidance, administered by
<i>y</i> 110 /	physician or other qualified health care professional (without the patient present), face-to-face with multiple sets of guardians/caregivers, each 15 minutes
97158	Group adaptive behavior treatment with protocol modification, administered by
	physician or other qualified health care professional, face-to-face with multiple patients, each 15 minutes

SPEECH THERAPY - no prior authorization required

Revenue Codes (facility only)

0440 – 0449 Speech Therapy-Language Pathology

CPT/HCPCS Codes

- 92521 Evaluation of speech fluency (e.g., stuttering, cluttering)
- 92522 Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria);
- 92523 Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (e.g., receptive and expressive language)
- 92524 Behavioral and qualitative analysis of voice and resonance



Autism Spectrum Disorders

S9152	Speech therapy, re-evaluation
-------	-------------------------------

92507 Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual

92508 Treatment of speech, language, voice, communication, and/or auditory processing disorder; group, 2 or more individuals

PHYSICAL & OCUUPATIONAL THERAPY - no prior authorization required

Revenue Codes (facility only)

0420 – 0429 Physical Therapy 0430 – 0439 Occupational Therapy

CPT/HCPCS Codes

- Physical therapy evaluation: low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.
- Physical therapy evaluation: moderate complexity, requiring these components: A history of present problem with 1-2 personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures in addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; An evolving clinical presentation with changing characteristics; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family
- 97163 Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family.97164* Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically, 20 minutes are spent face-to-face with the patient and/or family.
- 97165 Occupational therapy evaluation, low complexity, requiring these components: An occupational profile and medical and therapy history, which includes a

Autism Spectrum Disorders

brief history including review of medical and/or therapy records relating to the presenting problem; An assessment(s) that identifies 1-3 performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of low complexity, which includes an analysis of the occupational profile, analysis of data from problem-focused assessment(s), and consideration of a limited number of treatment options. Patient presents with no comorbidities that affect occupational performance. Modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is not necessary to enable completion of evaluation component. Typically, 30 minutes are spent face-to-face with the patient and/or family.

Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 3-5 performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family.

Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 5 or more performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family.

Re-evaluation of occupational therapy established plan of care, requiring these components: An assessment of changes in patient functional or medical status with revised plan of care; An update to the initial occupational profile to reflect changes in condition or environment that affect future interventions and/or goals; and A revised plan of care. A formal reevaluation is performed when there is a documented change in functional status or a significant change to the plan of care is required. Typically, 30 minutes are spent face-to-face with the patient and/or family.

Therapeutic procedure, one or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility



Autism Spectrum Disorders

97112 Therapeutic procedure, one or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities 97129 Therapeutic interventions that focus on cognitive function (eg., attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes. 97130 Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (List separately in addition to code for primary procedure) Manual therapy techniques (e.g., mobilization/manipulation, manual lymphatic 97140 drainage, manual traction), one or more regions, each 15 minutes 97530 Therapeutic activities, direct (one-on-one) patient contact by the provider (use of dynamic activities to improve functional performance), each 15 minutes

BEHAVIORAL HEALTH EVALUATION -

These services are NOT dependent on diagnoses above and are not subject to the autism benefit:

90791 Psychiatric diagnostic interview examination 90792 Psychiatric diagnostic evaluation with medical

BEHAVIORAL HEALTH TESTING - no prior authorization required

- 96110 Developmental screening, with interpretation and report, per standardized instrument form (*Not payable to facility providers*)
- 96112 Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; first hour
- Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; each additional 30 minutes (List separately in addition to code for primary procedure)
- Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [e.g., acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; first hour
- Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [e.g., acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other

Autism Spectrum Disorders

	qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; each additional hour (List separately in addition to code for primary procedure)
96130	Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s)
	or caregiver(s), when performed; first hour
96131	Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure)
96132	Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour
96133	Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure)
96136	Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; first 30 minutes
96137	Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method; each additional 30 minutes (List separately in addition to code for primary procedure)
96138	Psychological or neuropsychological test administration and scoring by technician, two or more tests, any method; first 30 minutes
96139	Psychological or neuropsychological test administration and scoring by technician, two or more tests, any method; each additional 30 minutes (List separately in addition to code for primary procedure)
96146	Psychological or neuropsychological test administration, with single automated, standardized instrument via electronic platform, with automated

See also: Policy 91318 Rehabilitative Medicine Services

Policy 91336 Speech Therapy

Policy 91537 Neuropsychological and Psychological Testing

Codes not covered regardless of diagnosis:

result only

0362T Behavior identification supporting assessment, each 15 minutes of technicians' time face-to-face with a patient, requiring the following components:

Autism Spectrum Disorders

- administration by the physician or other qualified health care professional who is on site; with the assistance of two or more technicians; for a patient who exhibits destructive behavior; completion in an environment that is customized to the patient's behavior.
- O373T Adaptive behavior treatment with protocol modification, each 15 minutes of technicians' time face-to-face with a patient, requiring the following components: administration by the physician or other qualified health care professional who is on site; with the assistance of two or more technicians; for a patient who exhibits destructive behavior; completion in an environment that is customized to the patient's behavior
- 97152 Behavior identification-supporting assessment, administered by one technician under the direction of a physician or other qualified health care professional, face-to-face with the patient, each 15 minutes

VI. REFERENCES

- Ben-Itzchak E, Zachor DA. The effects of intellectual functioning and autism severity on outcome of early behavioral intervention for children with autism. Res Dev Disabil. 2007; 28(3): 295-303.
- Canvas Dx (Cognoa Inc.) for Diagnosis of Autism Spectrum Disorder. Evolving Evidence Review. Hayes, Inc. October 7, 2021.
- Centers for Disease Control and Prevention. <u>Community Report from the Autism</u> and Developmental Disabilities Monitoring (ADDM) Network.
- Eikeseth S, Smith T, Jahr E, Eldevik S. Intensive behavioral treatment at school for 4 7-year-old children with autism. A 1-year comparison controlled study. Behav Modif. 2002; 26(1):49-68.
- Eikeseth S, Smith T, Jahr E, Eldevik S. Outcome for children with autism who began intensive behavioral treatment between ages 4 and 7: a comparison controlled study. Behav Modif. 2007; 31(3):264-278.
- Falkmer, T, Anderson, K, Falkmer, M, Horlin, C. Diagnostic procedures in autism spectrum disorders: A systematic literature review. Eur Child Adolesc Psychiatry. 2013; 22: 329-340.
- Howard JS, Sparkman CR, Cohen HG, et al. A comparison of intensive behavior analytic and eclectic treatments for young children with autism. Res Dev Disabil. 2005; 26(4):359-383.
- Itzchak, B. E, Lahat E, Burgin R, Zachor AD. Cognitive, behavior and intervention outcome in young children with autism. Res Dev Disabil. 2008; 29(5): 447-58.
- Michigan Department of Health and Human Services. Medicaid Autism Spectrum Disorder Screening, Evaluation and Treatment Recommendation Best Practice Guidelines, 2022.
- Myers, S. M. Management of children with autism spectrum disorders. American Academy of Pediatrics. 2007; 120(5):1162-1182.



Autism Spectrum Disorders

- Riechow, B. Overview of meta-analyses on early intensive behavioral intervention for young children with autism spectrum disorders. Journal of Autism and Developmental Disorders. 2012; 42 (4): 512-520.
- Spreckley M, Boyd R. Efficacy of applied behavioral intervention in preschool children with autism for improving cognitive, language, and adaptive behavior: A systematic review and meta-analysis. 2008; PMID: 18950798.
- Virues-Ortega, J. Applied behavior analytic intervention for autism in early childhood: Meta-analysis, meta-regression and dose-response meta-analysis of multiple outcomes. Clinical Psychology Review. 2010; 30 (4): 387-399.

AMA CPT Copyright Statement:

All Current Procedure Terminology (CPT) codes, descriptions, and other data are copyrighted by the American Medical Association.

This document is for informational purposes only. It is not an authorization, certification, explanation of benefits, or contract. Receipt of benefits is subject to satisfaction of all terms and conditions of coverage. Eligibility and benefit coverage are determined in accordance with the terms of the member's plan in effect as of the date services are rendered. Priority Health's medical policies are developed with the assistance of medical professionals and are based upon a review of published and unpublished information including, but not limited to, current medical literature, guidelines published by public health and health research agencies, and community medical practices in the treatment and diagnosis of disease. Because medical practice, information, and technology are constantly changing, Priority Health reserves the right to review and update its medical policies at its discretion.

Priority Health's medical policies are intended to serve as a resource to the plan. They are not intended to limit the plan's ability to interpret plan language as deemed appropriate. Physicians and other providers are solely responsible for all aspects of medical care and treatment, including the type, quality, and levels of care and treatment they choose to provide.

The name "Priority Health" and the term "plan" mean Priority Health, Priority Health Managed Benefits, Inc., Priority Health Insurance Company and Priority Health Government Programs, Inc.